

 **WALU LOCK**
Automatic safety covers

Compliant with
standard NF P 90-308
Tested by LNE



Total safety,
absolute comfort



MAX
15x7m



 **WALU LOCK**
Automatic safety covers

Compliant with
standard NF P 90-308
Tested by LNE

**3-YEAR
WARRANTY***

+ POINTS

100% automatic
100% comfort

The opening and closing of the cover is made at the turn of a key. One to two minutes is all that is needed to roll up or unroll WALU LOCK, thanks to a hydraulic motor, without race end adjustment and without an electrical supply near the pool.

100% adaptable

For all rectangular pools or special shapes up to 15 x 7 m (according to feasibility study and pool plan provided).

100% safe

Designed to ensure maximum safety for children and pets.



The WALU LOCK cover is designed to ensure total safety and optimal comfort.

Compliant with
standard NF P 90-308
Tested by LNE



Flexibility and economy

Year round use : energy conservation in summer and pool cleanliness in winter. WALU LOCK can reduce your maintenance budget.

Differents tracks :


IN
Under-coping tracks
(25 or 42 mm)

MAX
15x7m




FLAT
Embedded tracks

MAX
12x6m



OUT
Curved above-ground tracks

MAX
12x6m



MODELS

UNDER



- Motor embedded in a dry pit
- Tracks : OUT, FLAT or IN
- A perfect integration
- Available up to 15 x 7 m (UNDER IN)
- Ideal for pools with overflow
- Optional : PVC or exotic wood pit cover

TOP



- Above-ground motor
- Tracks : FLAT or OUT
- Optional : Smooth PVC covering frame (white or sand) or exotic wood

MANOTOP



- Non-motorised, above-ground
- Track : OUT
- Fast and easy installation
- Surprising value for money

Technical specifications:

Sheet :

PVC coated of 650 g / sqm anti-abrasion and anti-UV treated and reinforced for the curb stones.

Tracks :

In anodised aluminium / 4 types of tracks

Motor :

Hydraulic motor embedded in a dry pit (UNDER) ou above-ground (TOP) and key type switch with three hold positions except model MANOTOP : control wheel + 2 lacquered aluminium supports.

Also included:

- Ø 155 mm aluminium shaft
- 1 hydraulic pump and 3 hydraulic hoses (except MANOTOP)
- 1 aluminium load bar at the end of the sheet
- 1 automatic rainwater removal pump

Optional :

Pit cover or bench covering : in PVC (white, sand) or in tropical hardwood.



• Automatic pump for the draining of rainwater



• Key command for opening / closing

Swimming pool safety cover designed to prevent access to the pool for children under 5 years of age.

Keep this document for future reference.

Warning:

This cover is no substitute for common sense and individual responsibility. It is not intended to dispense with the need for supervision of young children by their parents and/or responsible adults, which remains essential for their safety.

Colors

Opaque versions



Blue



Emerald



Swiss green



Sand



Grey



Anthracite grey

The sand coloured reverse side of the PVC (except for greys) avoids its discoloration on the coping.

*according to our general warranty terms delivered with the cover.



COVERS & EQUIPMENT FOR SWIMMING POOLS


Losberger France S.A.S. WALTER PISCINE

Z.I. BP 58 F-67172 BRUMATH Cedex

Tel. +33 390 29 51 00 - Fax +33 390 29 51 19 - walterpiscine@walter.fr

www.walter-piscine.com

Distributed by:



As part of an ongoing continuous improvement process, WALTER reserves the right to alter its products - available on stock - without any prior notice. Photos and illustrations are not contractually binding. Printing errors excepted.