

iGarden
Artful Living Technology

www.fairlandgroup.com
+86 400 020 6060
Mail: sales@fairlandgroup.com
Fax: 0086-20-87327767
Address: Floor 19, China Energy Storage Building, No. 3099, Keyuannan Road,
Nanshan District, Shenzhen City, Guangdong Province, China



FAIRLAND GROUP LIMITED



iGarden Pool Cleaner S Series

Always On. Always Joy.




TAKING CARE, ALL DAY LONG

From sunrise to sunset, the cleaner runs up to 8 hours on a single charge.



World's First Full-Inverter Tech

Adaptive motor system senses load and flow, intelligently modulating output to sustain suction and optimize cleaning efficiency for a deeper clean.




Muti-Mode Cleaning

-  Floor only
-  Wall & Waterline first, then floor
-  Wall & Waterline
-  Full coverage




1.5x Turbo Suction Power

Unleash powerful cleaning to remove heavy debris and maintain superior suction across every pool surface material.



8 Hours 10 Days AI Timer



No frequent lift-outs. | No mid-cycle recharging. | Enjoy 10 days worry-free.


Disclaimer: 10 Day Worry-free: Tested on S80 in floor-cleaning mode (4 x 8 m pool), cleaning every three days for up to 10 days when the filter is not clogged.

SET & FORGET


Travel Days




Stormy Days



Party Events



3D 3D "S" Path



Fine Filter



Touch Screen



Model	S40	S60	S80
Mode: Floor Mode			
Battery Life	4h	6h	8h
Charging Time	Approx.3h	Approx.5h	Approx.6h
Charging Mode		2A	
Maximum Pool Length	33ft(10m)	40ft(12m)	40ft(12m)
Optimal Pool Temperature	4~35°C/39.2~95°		
Cleaning Mode	Floor Only; Wall Only; Wall & Waterline first, then floor; Full coverage		
Turbo Mode		YES	
Multiple Cycle Options		1h/1.5h/2h/Max	
APP Application		YES	
Filter Capacity		3.2L	
Filtration Accuracy		Signal Layer	
Pump Flow Rate	10-17m ³ /h	12-18m ³	12-20m ³ /h
Running Power		20-100W	
Moving Speed		12m/min	
Number of Motors		3	
Charger Input		100-240VAC~50/60Hz	
Running Voltage/Current		25.2V/1A	
Robot NW/GW		8.1kg/12.9kg	
Product Dimensions (L*W*H)		423*385*236mm	
Package Dimensions(L*W*H)		504*450*300mm	

NOTE: Tested in a pristine 3m*8m rectangular pool under controlled lab conditions. Actual battery life may vary with pool size, shape, and water quality.