

Page 1/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Multi-Functional Granules
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category

PC37 Water treatment chemicals

PC8 Biocidal products

· Application of the substance / the mixture

Water treatment

Disinfectant

· Uses advised against

Any use involving aerosol formation or vapour release in excess of the assigned Workplace Exposure Limit where workers are exposed without suitable Respiratory Protective Equipment.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Processes involving extreme heat use advised against.

Processes involving the use of incompatible substances - refer to section 10.

- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

All Swim Ltd

Link Trade Park

Penarth Road

Cardiff

CF11 8TQ

Tel: 029 20705059 sales@allswimltd.com

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

### · 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Acute Tox. 4 H302 Harmful if swallowed.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

Aquatic Acute 1 H400 Very toxic to aquatic life.

(Contd. on page 2)



Page 2/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 1)

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms







GHS09

GHS05 GHS07

· Signal word Danger

### · Hazard-determining components of labelling:

Troclosene sodium, dihydrate

Aluminium sulphate, tetradecahydrate

## · Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

### · Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

#### · Additional information:

EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Contains biocidal active substance(s): Troclosene sodium, dihydrate

### · The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for contents

disinfectants, preservation agents (Troclosene sodium, dihydrate)

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

GB -



Page 3/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 2)

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 51580-86-0	Troclosene sodium, dihydrate 50 – 100	
	X Alternative CAS number: 2893-78-9	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335, EUH031, EUH206	
CAS: 16828-12-9	Aluminium sulphate, tetradecahydrate	3 – 10%
	Alternative CAS number: 10043-01-3	
	\ominus Eye Dam. 1, H318	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Rinse contaminated clothes (fire hazard) with plenty of water.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

- GB -



Page 4/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 3)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Carbon dioxide

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Do not use ABC extinguishers containing nitrogen, due to risk of violent chemical reaction.

· 5.2 Special hazards arising from the substance or mixture

Not combustible but enhances combustion of other substances.

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Chlorine gas

Chlorine compounds

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

Inform respective authorities in case of seepage into water course or sewage system.

### · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Do not use combustible materials such as paper towels to clean up spills.

DO NOT transport wet or damp material. Damp material should be neutralized to a safe state.

Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

(Contd. on page 5)



Page 5/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 4)

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form

Do not mix with acids.

Safety showers and eye wash facilities should be available at the work area.

Any unavoidable deposit of dust must be regularly removed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Never add water to the product. Always add product to large quantities of water.

Rinse contaminated clothing with plenty of water (Fire hazard)

Information about fire - and explosion protection:

Substance/product can reduce the ignition temperature of flammable substances.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Store away from foodstuffs.

Store away from oxidising agents.

Do not store together with acids.

- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 11
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

### CAS: 51580-86-0 Troclosene sodium, dihydrate

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

(Contd. on page 6)



Page 6/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

CAS: 168'	28-12-9 Aluminium sulphat	(Contd. of page
	g-term value: 2 mg/m <sup>3</sup>	te, tetradecanyurate
DNELs		
CAS: 515	80-86-0 Troclosene sodium	, dihydrate
Oral	Long-term systemic effects	1.15 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	1.15 mg/kg bw/day (general population)
		2.3 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	1.99 mg/m³ (general population)
		8.11 mg/m³ (worker)
CAS: 1682	28-12-9 Aluminium sulphat	te, tetradecahydrate
Oral	Long-term systemic effects	1.9 mg/kg bw/day (general population) Anhydrous form
Dermal	Long-term systemic effects	1.9 mg/kg bw/day (general population) Anhydrous form
		3.8 mg/kg bw/day (worker) Anhydrous form
Inhalative	Long-term systemic effects	3.3 mg/m³ (general population) Anhydrous form
		13.4 mg/m³ (worker) Anhydrous form

#### · PNECs

## CAS: 51580-86-0 Troclosene sodium, dihydrate

Freshwater	170 ng/L
Freshwater - Intermittent releases	1.7 μg/L
Marine water	1.52 mg/L
Sewage Treatment Plant	590 μg/L
Sediment (freshwater)	7.56 mg/kg
Freshwater Freshwater - Intermittent releases Marine water Sewage Treatment Plant Sediment (freshwater) Soil	756 µg/kg

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Do not breathe dust

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 7)



Page 7/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 6)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

### · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

#### · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Butyl rubber, BR

Chloroprene rubber, CR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · Not suitable are gloves made of the following materials:

Leather gloves

Textile gloves.

#### · Eye/face protection



Tightly sealed goggles conforming to EN166.

### · Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

• Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

(Contd. on page 8)



Page 8/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 7)

· Risk management measures The operators shall be instructed adequately.

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
 Colour:
 Odour:
 Uke chlorine
 Odour threshold:
 Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 Flammability

Solid
White
Unke chlorine
Undetermined
Not determined
Not determined

Lower and upper explosion limit
 Lower:

 Not determined.

 Upper:

 Not applicable.
 Auto-ignition temperature:

 Decomposition temperature:
 pH at 20 °C
 Not determined.
 7 − 8 (1%)

· Viscosity:

Kinematic viscosity Dynamic: Not applicable. Not applicable.

· Solubility

· water: Soluble.

Partition coefficient n-octanol/water (log value)
 Vapour pressure:
 Not determined.
 Not applicable.

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not applicable.

• 9.2 Other information NOTE: The physical data presented above are typical

values and should not be construed as a specification.

· Appearance:

Form: Granulate

· Important information on protection of health and

environment, and on safety.

• **Ignition temperature:** Product is not self-igniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not applicable.

(Contd. on page 9)



Page 9/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 8)

		(
· Information with regard to physical hazard c	lasses	
· Explosives	Not applicable	
· Flammable gases	Not applicable	
· Aerosols	Not applicable	
· Oxidising gases	Not applicable	
· Gases under pressure	Not applicable	
· Flammable liquids	Not applicable	
· Flammable solids	Not applicable	
· Self-reactive substances and mixtures	Not applicable	
· Pyrophoric liquids	Not applicable	
· Pyrophoric solids	Not applicable	
· Self-heating substances and mixtures	Not applicable	
· Substances and mixtures, which emit flammal	ble gases	
in contact with water	Not applicable	
· Oxidising liquids	Not applicable	
· Oxidising solids	Not applicable	
· Organic peroxides	Not applicable	
· Corrosive to metals	Not applicable	
· Desensitised explosives	Not applicable	

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Decomposes on heating, on contact with acids and under influence of light producing toxic and corrosive gases including chlorine.

### · 10.3 Possibility of hazardous reactions

Reacts violently with many substances.

Acts as an oxidising agent on organic materials such as wood, paper and fats.

Risk of explosion in contact with:

Strong reducing agents

Strong bases

Reacts with acids releasing chlorine.

- · 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials:

Strong acids and oxidising agents

Substances specifically listed in section 10.3 as incompatible.

Strong bases.

Ammonia

Combustible materials.

Flammable materials

(Contd. on page 10)



Page 10/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 9)

Reducing agents

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrogen cyanide (prussic acid)

Hydrogen chloride (HCl)

Chlorine

Chlorine compounds

Nitrogen oxides (NOx)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed.

· LD/LC	· LD/LC50 values relevant for classification:		
ATE (A	ATE (Acute Toxicity Estimates)		
Oral	LD50	1,666.7 mg/kg (rat)	
CAS: 5	1580-8	6-0 Troclosene sodium, dihydrate	
Oral	LD50	1,500 mg/kg (rat)	
Dermal	LD50	> 5,000 mg/kg (rabbit)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · Additional toxicological information:

INHALATION RISK: A harmful concentration of airborne particles can be reached quickly especially if powdered.

· Acute effects (acute toxicity, irritation and corrosivity)

EFFECTS OF SHORT-TERM EXPOSURE: The substance irritates the eyes, the skin and the respiratory tract. Corrosive on ingestion.

(Contd. on page 11)



Page 11/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 10)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients are listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Very toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

Do not mix with other waste streams.

(Contd. on page 12)



Page 12/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 11)

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Do not mix with other waste streams.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

## \* SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN3077
· 14.2 UN proper shipping name · ADR/RID/ADN	UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium, dihydrate)

- · 14.3 Transport hazard class(es)
- · ADR/RID/ADN



• Class 9 (M7) Miscellaneous dangerous substances and articles.

· Label

· IMDG, IATA



• Class 9 Miscellaneous dangerous substances and articles.

· Label

(Contd. on page 13)



Page 13/15

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 12)

	(Contd. of page 12)
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	III
<ul> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> <li>· Special marking (ADR/RID/ADN):</li> <li>· Special marking (IATA):</li> </ul>	Product contains environmentally hazardous substances: Troclosene sodium, dihydrate Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
• 14.6 Special precautions for user • Hazard identification number (Kemler code):	Warning: Miscellaneous dangerous substances and articles. 90
<ul><li> Hazchem Code:</li><li> EMS Number:</li><li> Stowage Category</li><li> Stowage Code</li></ul>	2Z F-A,S-F A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
$\cdot$ 14.7 Maritime transport in bulk according to IM instruments	Not applicable.
· Transport/Additional information:	DO NOT transport wet or damp product. Amounts up to 5kg or 5L per single or inner package are not regulated according to ADR/RID SP 375, IMDG 2.10.2.7 and IATA SP A197.
· ADR/RID/ADN · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 (-)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM, DIHYDRATE), 9, III

GB —



Page 14/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 13)

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

- · Control Of Major Accident Hazards Regulations 2015 (COMAH)
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · COMAH category E1
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

## · Relevant phrases

- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

(Contd. on page 15)



Page 15/15

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 29.03.2025 Version number 6 (replaces version 5) Revision: 29.03.2025

**Trade name: Multi-Functional Granules** 

(Contd. of page 14)

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

\* Data compared to the previous version altered.

GB —