

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Cartridge Cleaner
- **Registration number** Mixture
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **Uses advised against** Any use not specified above.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
Complete Pool Controls Ltd
Unit 2, The Park
Stoke Orchard
Bishops Cleeve
Gloucestershire
GL52 7RS
UK
- Tel: +44 (0)1242 662700 (office hours)
email: sales@cpc-chemicals.co.uk
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**
Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

* SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to GB-CLP**
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **2.2 Label elements**
- **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labelling:**
Non-ionic surfactant
Sodium hydroxide
betaines, C12-14-alkyldimethyl
Tetrasodium ethylenediaminetetraacetate
- **Hazard statements**
H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 1)

· **Precautionary statements**

- P260 Do not breathe dusts or mists.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for contents**

amphoteric surfactants, non-ionic surfactants, EDTA and salts thereof

<5%

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
· **vPvB:** Not applicable.

* SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-XXXX	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	2.5 – 10%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-XXXX	Sodium hydroxide ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$ Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$	2 – < 2.5%
CAS: 66455-29-6 EC number: 931-700-2 Reg.nr.: 01-2119529251-48-XXXX	betaines, C12-14-alkyldimethyl ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412	1 – < 2.5%
CAS: 68439-46-3 EC number: 614-482-0	Non-ionic surfactant ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	1 – 2.5%
CAS: 64-02-8 EINECS: 200-573-9 Index number: 607-428-00-2 Reg.nr.: 01-2119486762-27-XXXX	Tetrasodium ethylenediaminetetraacetate ⚠ STOT RE 2, H373; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	1 – 2.5%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

* SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 2)

- **After skin contact:**
Immediately rinse with water.
If skin irritation continues, consult a doctor.
Chemical burns must be treated promptly by a physician.
- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Wash mouth out with water
Do not induce vomiting; call for medical help immediately.
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:**
Inhalation of an aerosol of this substance may cause lung oedema.
Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** Corrosive damage to gastro-intestinal tract.
- **Hazards** Danger of gastric perforation.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

* SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Corrosive liquid.
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.
Do not allow product to reach sewage system or any water course in the undiluted form.

(Contd. on page 4)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 3)

· **6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Contaminated absorbent material may pose the same hazard as the spilt product.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

· **Information about fire - and explosion protection:** Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

· **Information about storage in one common storage facility:** Do not store together with acids.

· **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

· **Storage class:** 8 A

· **7.3 Specific end use(s)** No further relevant information available.

* SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 34590-94-8 Dipropylene glycol monomethyl ether

WEL	Long-term value: 308 mg/m ³ , 50 ppm
Sk	

CAS: 1310-73-2 Sodium hydroxide

WEL	Short-term value: 2 mg/m ³
-----	---------------------------------------

· **DNELs**

CAS: 34590-94-8 Dipropylene glycol monomethyl ether

Oral	Long-term systemic effects	36 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	121 mg/kg bw/day (general population) 283 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	37.2 mg/m ³ (general population) 308 mg/m ³ (worker)

(Contd. on page 5)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 4)

CAS: 1310-73-2 Sodium hydroxide		
Inhalative	Long-term local effects	1 mg/m ³ (general population) 1 mg/m ³ (worker)
CAS: 66455-29-6 betaines, C12-14-alkyldimethyl		
Oral	Long-term systemic effects	83.3 µg/kg bw/day (general population)
Dermal	Long-term systemic effects	83.3 µg/kg bw/day (general population) 233 µg/kg bw/day (worker)
	Long-term local effects	30 µg/kg bw/day (general population) 60 µg/kg bw/day (worker)
Inhalative	Long-term local effects	3.53 mg/m ³ (worker)
	Long-term systemic effects	145 µg/m ³ (general population) 822 µg/m ³ (worker)
	Long-term local effects	870 µg/m ³ (general population)
CAS: 68439-46-3 Non-ionic surfactant		
Oral	Long-term systemic effects	25 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	1,250 mg/kg bw/day (general population) 2,080 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	87 mg/m ³ (general population) 294 mg/m ³ (worker)
CAS: 64-02-8 Tetrasodium ethylenediaminetetraacetate		
Oral	Long-term systemic effects	25 mg/kg bw/day (general population)
Inhalative	Long-term systemic effects	1.5 mg/m ³ (worker)
	Short-term systemic effects	3 mg/m ³ (worker)
	Short-term local effects	1.2 mg/m ³ (general population) 3 mg/m ³ (worker)
	Long-term local effects	600 µg/m ³ (general population) 1,500 µg/m ³ (worker)
· PNECs		
CAS: 34590-94-8 Dipropylene glycol monomethyl ether		
Freshwater		19 mg/L
Freshwater - Intermittent releases		190 mg/L
Marine water		1.9 mg/L
Sewage Treatment Plant		4,168 mg/L
Sediment (freshwater)		70.2 mg/kg
Sediment (marine water)		7.02 mg/kg
Soil		2.74 mg/kg
CAS: 66455-29-6 betaines, C12-14-alkyldimethyl		
Freshwater		7.6 µg/L
Freshwater - Intermittent releases		17 µg/L
Marine water		760 ng/L

(Contd. on page 6)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 5)

Sewage Treatment Plant	2.7 mg/L
Sediment (freshwater)	27.9 µg/kg
Sediment (marine water)	2.79 µg/kg
Soil	10 mg/kg
CAS: 68439-46-3 Non-ionic surfactant	
Freshwater	103.79 µg/L
Freshwater - Intermittent releases	14 µg/L
Marine water	103.79 µg/L
Sewage Treatment Plant	1.4 mg/L
Sediment (freshwater)	13.7 mg/kg
Sediment (marine water)	13.7 mg/kg
Soil	1 mg/kg
CAS: 64-02-8 Tetrasodium ethylenediaminetetraacetate	
Freshwater	2.83 mg/L
Freshwater - Intermittent releases	1 mg/L
Marine water	283 µg/L
Marine Water - Intermittent releases	1 mg/L
Sewage Treatment Plant	50 mg/L
Soil	1.1 mg/kg

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

Do not carry product impregnated cleaning cloths in trouser pockets.

· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 7)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 6)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles conforming to EN166.



Face shield/visor.

Use equipment tested and approved under appropriate government standards such as EN166 (EU) or NIOSH (US)

Use visor in combination with goggles.

· **Body protection:**



Protective work clothing

Do not get on skin or clothing. Wear clothing and footwear that cannot be penetrated by the product. Suitable protective equipment may include: Chemical resistant boots, Chemical resistant apron, Full chemical protective suit with a hood, Chemical protective suit consisting of a jacket and trousers. The jacket should be buttoned up to the neck, sleeves sealed at the gloves, and trouser legs worn outside the boots. These precautions are required to prevent the clothing from accidentally trapping product against the skin.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

· **Risk management measures** The operators shall be instructed adequately.

* SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Physical state	Liquid
· Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· Melting point/freezing point:	0 °C
· Boiling point or initial boiling point and boiling range	100 – 172 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	1.1 Vol %
· Upper:	10.6 Vol %
· Flash point:	> 70 °C
· Auto-ignition temperature:	> 230 °C
· Decomposition temperature:	Not determined.
· pH at 20 °C	11.5 – 12.5
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.

(Contd. on page 8)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 7)

· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)
· Density and/or relative density	
· Density at 20 °C:	1.045 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· VOC (EC)	5.20 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Exothermic reaction with acids.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Strong acids.

(Contd. on page 9)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 8)

- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Nitrogen oxides (NO_x)

* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	14,092 mg/kg (rat)
Inhalative	LC50/4 h	733.33 mg/l (rat)

CAS: 34590-94-8 Dipropylene glycol monomethyl ether

Oral	LD50	> 5,000 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rab)

CAS: 68439-46-3 Non-ionic surfactant

Oral	LD50	316.84 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)
Inhalative	LC50/4 h	> 5,000 mg/l (rat)

CAS: 64-02-8 Tetrasodium ethylenediaminetetraacetate

Oral	LD50	1,913 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (rat) (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.

(Contd. on page 10)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 9)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients are listed.

* SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 34590-94-8 Dipropylene glycol monomethyl ether

EC50 (96 h) > 1,000 mg/l (Bacteria)

- **12.2 Persistence and degradability** The organic portion of the product is biodegradable.
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
 - Must not reach sewage water or drainage ditch undiluted or unneutralised.
 - Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

* SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 11)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)



Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 10)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

* SECTION 14: Transport information

· 14.1 UN number or ID number	UN1719
· ADR/RID/ADN, IMDG, IATA	
· 14.2 UN proper shipping name	UN1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)
· ADR/RID/ADN	CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE)
· IMDG, IATA	
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
	
· Class	8 (C5) Corrosive substances.
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	III
· ADR/RID/ADN, IMDG, IATA	
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	80
· Hazchem Code:	2R
· EMS Number:	F-A,S-B
· Segregation groups	(SGG18) Alkalis
· Stowage Category	A
· Segregation Code	SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.

(Contd. on page 12)

—GB—

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 11)

· Transport/Additional information:	
· ADR/RID/ADN	5L
· Limited quantities (LQ)	Code: E1
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

CAS: 1310-73-2 Sodium hydroxide

12% of total caustic alkalinity

· Control Of Major Accident Hazards Regulations 2015 (COMAH)

· Named dangerous substances - ANNEX I None of the ingredients are listed.

· National regulations:

· Information about limitation of use:

Class	Share in %
NK	5.2

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 13)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 12.02.2025

Version number 5 (replaces version 4)

Revision: 12.02.2025

Trade name: Cartridge Cleaner

(Contd. of page 12)

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

· **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**