

Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Immerse Sachets
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

Processes involving the use of incompatible substances - refer to section 10.

- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Complete Pool Controls Ltd

Unit 2, The Park

Stoke Orchard

Bishops Cleeve

Gloucestershire

**GL52 7RS** 

UK

Tel: +44 (0)1242 662700 (office hours) email: sales@cpc-chemicals.co.uk

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to GB-CLP

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms







GHS05

GHS07

GHS09



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 1)

· Signal word Danger

#### · Hazard-determining components of labelling:

Sodium Metasilicate Pentahydrate

Sodium hydroxide

#### · Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or

shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

#### · Additional information:

EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Contains biocidal active substance(s): Troclosene sodium, dihydrate

· The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for co	ontents
anionic surfactants	≥5 - <15%
disinfectants, preservation agents (Troclosene sodium, dihydrate)	

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 497-19-8	Sodium carbonate	10 – 25%
EINECS: 207-838-8	<b>①</b> Eye Irrit. 2, H319	
Index number: 011-005-00-2		
Reg.nr.: 01-2119485498-19-XXXX		
	(	Contd. on page 3)

conta. on page 3)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

#### **Trade name: Immerse Sachets**

		Contd. of page 2)
CAS: 1310-73-2	Sodium hydroxide	10 - 25%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 011-002-00-6	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 %	
Reg.nr.: 01-2119457892-27-XXXX	Skin Corr. 1B; H314: 2 % ≤ C < 5	
	%	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2	
	%	
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	
CAS: 10213-79-3	Sodium Metasilicate Pentahydrate	10 – < 20%
EC number: 600-279-4	Consisting of: 6834-92-0 Disodium metasilicate (58%); 7732-18-	
	5 Water (42%)	
	Skin Corr. 1B, H314;      STOT SE 3, H335	
CAS: 1300-72-7	Sodium xylenesulphonate	2.5 – < 10%
EINECS: 215-090-9	<b>(</b> ) Eye Irrit. 2, H319	
CAS: 51580-86-0	Troclosene sodium, dihydrate	2.5 - < 10%
EC number: 610-700-3	Alternative CAS number: 2893-78-9	
Reg.nr.: 01-2119489371-33-XXXX	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335, EUH031, EUH206	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

· Information for doctor:

Refer to section 11.

Treat symptomatically and supportively.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

— GB



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 3)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Carbon dioxide

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents:

Water with full jet

Do not use ABC extinguishers containing nitrogen, due to risk of violent chemical reaction.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Phosphorous oxides

Sulphur Oxides (SOx)

Toxic metal oxide smoke

Oxygen

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

### · 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

#### · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Do not use combustible materials such as paper towels to clean up spills.

Send for recovery or disposal in suitable receptacles.

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 4)

Safety showers and eye wash facilities should be available at the work area.

Rinse contaminated clothing with plenty of water (Fire hazard)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- $\cdot$  Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Do not store on combustible materials such as wooden floors or wooden pallets.

· Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Not required.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Protect from heat and direct sunlight.

- · Storage class: 8 A
- $\cdot$  7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:					
CAS: 131	CAS: 1310-73-2 Sodium hydroxide				
WEL Sho	rt-term value: 2 mg/m³				
CAS: 515	80-86-0 Troclosene sodium	, dihydrate			
Lon	WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO				
· DNELs					
CAS: 497	-19-8 Sodium carbonate				
Inhalative Long-term local effects 5 mg/m³ (general population)		5 mg/m³ (general population)			
		10 mg/m³ (worker)			
CAS: 131	0-73-2 Sodium hydroxide				
Inhalative	Long-term local effects	1 mg/m³ (general population)			
		1 mg/m³ (worker)			
CAS: 515	CAS: 51580-86-0 Troclosene sodium, dihydrate				
Oral	Long-term systemic effects	1.15 mg/kg bw/day (general population)			
Dermal Long-term systemic effects 1.15 mg/kg bw/day (general population)		1.15 mg/kg bw/day (general population)			
		2.3 mg/kg bw/day (worker)			
Inhalative	Long-term systemic effects	1.99 mg/m³ (general population)			
		8.11 mg/m³ (worker)			

(Contd. on page 6)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 5)

· PNECs			
CAS: 51580-86-0 Troclosene so	CAS: 51580-86-0 Troclosene sodium, dihydrate		
Freshwater	170 ng/L		
Freshwater - Intermittent releases	1.7 µg/L		
Marine water	1.52 mg/L		
Sewage Treatment Plant	590 μg/L		
Sediment (freshwater)	7.56 mg/kg		
Soil	756 μg/kg		

#### · Ingredients with biological limit values:

#### · Additional Occupational Exposure Limit Values for possible hazards during processing:

CAS: 1310-73-2 Sodium hydroxide

WEL | Short-term value: 2 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- $\cdot$  General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

#### · Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P2

#### · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Leather gloves

Textile gloves.

(Contd. on page 7)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 6)

· Eye/face protection



Tightly sealed goggles conforming to EN166.

· Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- · Environmental exposure controls Do not allow to enter drains, sewers or watercourses.
- · Risk management measures The operators shall be instructed adequately.

## **SECTION 9: Physical and chemical properties**

· 9.1	Information	on l	basic p	hys	ical	and	chen	iica	l proj	perties
-------	-------------	------	---------	-----	------	-----	------	------	--------	---------

· General Information

Solid · Physical state · Colour: White · Odour: Odourless · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range Undetermined. · Flammability Not determined.

· Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. · Flash point: Not applicable. · Decomposition temperature: Not determined. 13 (1%)

· pH at 20 °C

· Viscosity:

· Kinematic viscosity Not applicable. · Dynamic: Not applicable.

· Solubility

· water: Soluble.

Not determined. · Partition coefficient n-octanol/water (log value) · Vapour pressure: Not applicable.

· Density and/or relative density

· Density at 20 °C: 2.1 g/cm<sup>3</sup> Not determined. · Relative density · Vapour density Not applicable.

· 9.2 Other information

· Appearance:

· Form: Solid

(Contd. on page 8)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 7)

	(Conta. or page 7)
· Important information on protection of health a environment, and on safety.	and
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product is not sen-igniting.  Product does not present an explosion hazard.
· Solvent content:	Froduct does not present an expression nazard.
· Solids content:	100.0 %
	100.0 %
· Change in condition	Not applicable
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	3
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable ga	ases
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Exothermic reaction with acids.

Reacts with acids releasing chlorine.

- 10.4 Conditions to avoid Heat and static discharge.
- · 10.5 Incompatible materials:

Acids

Reducing agents.

Combustible materials.

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Oxygen

Phosphorus oxides (e.g. P2O5)

Sulphur oxides (SOx)

(Contd. on page 9)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 8)

Toxic metal oxide smoke

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC	· LD/LC50 values relevant for classification:				
ATE (A	cute Toxicity Estimates)				
Oral	LD50 26,786 mg/kg (rat)				
CAS: 49	7-19-8 Sodium carbonate				
Oral	LD50 > 5,000 mg/kg (rat)				
Dermal	LD50 > 2,000 mg/kg (rabbit)				
CAS: 1	00-72-7 Sodium xylenesulphonate				
Oral	LD50 > 2,000 mg/kg (rat)				
Dermal	LD50 > 2,000 mg/kg (rabbit)				
CAS: 5	580-86-0 Troclosene sodium, dihydrate				
Oral	LD50 1,500 mg/kg (rat)				
Dermal	LD50 > 5,000 mg/kg (rabbit)				

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · Additional toxicological information:

ROUTES OF EXPOSURE: Serious local effects by all routes of exposure.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.

· 11.2 Information on other hazards

· Endocrine	disrupting	properties

None of the ingredients are listed.

- GB -



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 9)

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 497-19-8 Sodium carbonate

EC50 (96 h) 200 mg/l (Bacteria)

CAS: 1300-72-7 Sodium xylenesulphonate

EC50 (96 h) > 200 mg/l (Bacteria)

- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- · 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste:
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

Do not mix with other waste streams.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Do not mix with other waste streams.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 11)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 10)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information** · 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA UN3262 · 14.2 UN proper shipping name · ADR/RID/ADN UN3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE, DISODIUM TRIOXOSILICATE), ENVIRONMENTALLY **HAZARDOUS** · IMDG CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE, DISODIUM TRIOXOSILICATE, Troclosene sodium, dihydrate), MARINE POLLUTANT CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. · IATA (SODIUM HYDROXIDE, DISODIUM TRIOXOSILICATE) · 14.3 Transport hazard class(es) · ADR/RID/ADN · Class 8 (C6) Corrosive substances. · Label · IMDG · Class 8 Corrosive substances. · Label · IATA · Class 8 Corrosive substances. · Label · 14.4 Packing group · ADR/RID/ADN, IMDG, IATA I · 14.5 Environmental hazards: · Marine pollutant: Symbol (fish and tree) · Special marking (ADR/RID/ADN): Symbol (fish and tree)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

	(Contd. of page 11)
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	88
· Hazchem Code:	2X
· EMS Number:	F-A,S-B
· Segregation groups	(SGG18) Alkalis
· Stowage Category	В
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· Transport category	1
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE, DISODIUM
	TRIOXOSILICATE), 8, I, ENVIRONMENTALLY HAZARDOUS

## **SECTION 15: Regulatory information**

- $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

· Regulated explosives precursors
None of the ingredients are listed.

\_\_\_\_\_

## · Regulated poisons

None of the ingredients are listed.

### · Reportable explosives precursors

None of the ingredients are listed.

## $\cdot \ Reportable \ poisons$

CAS: 1310-73-2 Sodium hydroxide

12% of total caustic alkalinity

- · Control Of Major Accident Hazards Regulations 2015 (COMAH)
- · Named dangerous substances ANNEX I None of the ingredients are listed.
- · COMAH category E2
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 13)



Printing date 17.03.2025 Version number 4 (replaces version 3) Revision: 17.03.2025

**Trade name: Immerse Sachets** 

(Contd. of page 12)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H290 May be corrosive to metals.

- Harmful if swallowed. H302
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- May cause respiratory irritation. H335
- Very toxic to aquatic life. H400
- Very toxic to aquatic life with long lasting effects. H410
- EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

#### **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.