

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· **Trade name:** Algae Controller

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC37 Water treatment chemicals

· **Application of the substance / the mixture** Water treatment

· **Uses advised against**

Processes involving extreme heat use advised against.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

Processes involving the use of incompatible substances - refer to section 10.

Not for end use in this form or concentration.

· 1.3 Details of the supplier of the safety data sheet

· **Supplier:**

Complete Pool Controls Ltd

Unit 2, The Park

Stoke Orchard

Bishops Cleeve

Gloucestershire

GL52 7RS

UK

Tel: +44 (0)1242 662700 (office hours)

email: sales@cpc-chemicals.co.uk

· **Further information obtainable from:** Product safety department.

· **1.4 Emergency telephone number:**

OHES Environmental

Tel: 01242 300271

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

* SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· **Classification according to GB-CLP**

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 1)

· **Hazard pictograms**



· **Signal word** Danger

· **Hazard-determining components of labelling:**

Alkyl(C12-16)dimethylbenzylammonium chloride

· **Hazard statements**

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· **Additional information:**

Contains biocidal active substance(s): Alkyl(C12-16)dimethylbenzylammonium chloride

· **The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for contents**

preservation agents (Alkyl(C12-16)dimethylbenzylammonium chloride)

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

* SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 68424-85-1	Alkyl(C12-16)dimethylbenzylammonium chloride	5 – < 10%
EINECS: 270-325-2	⚠ Skin Corr. 1B, H314; ⚠ Aquatic Chronic 1, H410; ⚠ Acute	
Reg.nr.: 01-2119965180-41-XXXX	Tox. 4, H302	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

* SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:**

In case of inhalation:

- Provide fresh air.

- In case of breathing difficulties administer oxygen.

(Contd. on page 3)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 2)

- No mouth-to-mouth or mouth-to-nose resuscitation. Use respiratory bag or oxygen resuscitation apparatus.
- Do not leave patient unattended.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Probable mucosal damage may contraindicate gastric lavage.
- **4.2 Most important symptoms and effects, both acute and delayed** Corrosive damage to gastro-intestinal tract.
- **Hazards** Danger of gastric perforation.
- **4.3 Indication of any immediate medical attention and special treatment needed**
If swallowed or in case of vomiting, danger of entering the lungs.
If swallowed, gastric irrigation with added, activated carbon.

* SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Corrosive liquid.
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
Nitrogen oxides (NO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Particular danger of slipping on leaked/spilled product.
Ensure adequate ventilation
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow to penetrate the ground/soil.

(Contd. on page 4)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 3)

Do not allow product to reach sewage system or any water course in the undiluted form.
Inform respective authorities in case of seepage into water course or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Contaminated absorbent material may pose the same hazard as the spilt product.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

Safety showers and eye wash facilities should be available at the work area.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

· **Further information about storage conditions:**

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

· **Storage class:** 8 B

· **7.3 Specific end use(s)** No further relevant information available.

* SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **PNECs**

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride

Freshwater	420 ng/L
Freshwater - Intermittent releases	160 ng/L
Marine water	96 ng/L
Marine Water - Intermittent releases	207 ng/L
Sewage Treatment Plant	160 µg/L

(Contd. on page 5)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 4)

Sediment (freshwater)	68 mg/kg
Sediment (marine water)	15.75 mg/kg
Soil	1.66 mg/kg

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

When selecting PPE attention has to be paid to the complete and safe protection of skin, eyes and mucous membranes.

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

A safe system of work must be formulated and followed to ensure safe working with this product. Relevant workers must receive suitable and sufficient training and supervision.

Ensure that eyewash stations and safety showers are close to the workstation location.

Depending on the degree of exposure, periodic medical examination is suggested.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Face shield/visor.

Use equipment tested and approved under appropriate government standards such as EN166 (EU) or NIOSH (US)



Tightly sealed goggles conforming to EN166.

Use visor in combination with goggles.

(Contd. on page 6)

— GB —

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 5)

· **Body protection:**



Impervious protective clothing

Do not get on skin or clothing. Wear clothing and footwear that cannot be penetrated by the product. Suitable protective equipment may include: Chemical resistant boots, Chemical resistant apron, Full chemical protective suit with a hood, Chemical protective suit consisting of a jacket and trousers. The jacket should be buttoned up to the neck, sleeves sealed at the gloves, and trouser legs worn outside the boots. These precautions are required to prevent the clothing from accidentally trapping product against the skin.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

· **Risk management measures** The operators shall be instructed adequately.

* SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Physical state	Liquid
· Colour:	Blue
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	<0 °C
· Boiling point or initial boiling point and boiling range	>100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	6 – 9
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C:	0.99 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· **9.2 Other information**

NOTE: The physical data presented above are typical values and should not be construed as a specification.

· **Appearance:**

· **Form:** Fluid

· **Important information on protection of health and environment, and on safety.**

· **Ignition temperature:** Product is not self-igniting.

(Contd. on page 7)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 6)

· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	0.00 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Strong oxidising agents.
Anionic compounds.
- **10.6 Hazardous decomposition products:**
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
Nitrogen oxides (NO_x)

* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 7)

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	7,950 mg/kg (rat)
------	------	-------------------

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride

Oral	LD50	795 mg/kg (rat)
------	------	-----------------

Dermal	LD50	3,400 mg/kg (rabbit)
--------	------	----------------------

· Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

· Germ cell mutagenicity

Based on available data, the classification criteria are not met.

· Carcinogenicity

Based on available data, the classification criteria are not met.

· Reproductive toxicity

Based on available data, the classification criteria are not met.

· STOT-single exposure

Based on available data, the classification criteria are not met.

· STOT-repeated exposure

Based on available data, the classification criteria are not met.

· Aspiration hazard

Based on available data, the classification criteria are not met.

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients are listed.

* SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride

EC50 (96 h) (static)	0.85 mg/l (Fish)
----------------------	------------------

EC50 (48 h)	0.016 mg/l (Bacteria)
-------------	-----------------------

EC50 (72 h)	0.02 mg/l (Selenastrum capricornutum)
-------------	---------------------------------------

· 12.2 Persistence and degradability

Readily biodegradable

· 12.3 Bioaccumulative potential

Product is not expected to bioaccumulate.

· 12.4 Mobility in soil

No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Remark:

Toxic for fish

(Contd. on page 9)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 8)

· **Additional ecological information:**

· **General notes:**

Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

* SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

* SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR/RID/ADN, IMDG, IATA**

UN1760

· **14.2 UN proper shipping name**

· **ADR/RID/ADN**

UN1760 CORROSIVE LIQUID, N.O.S. (Alkyl(C12-16) dimethylbenzylammonium chloride), ENVIRONMENTALLY HAZARDOUS

· **IMDG**

CORROSIVE LIQUID, N.O.S. (Alkyl(C12-16) dimethylbenzylammonium chloride), MARINE POLLUTANT

· **IATA**

CORROSIVE LIQUID, N.O.S. (Alkyl(C12-16) dimethylbenzylammonium chloride)

(Contd. on page 10)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended






Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 9)

· 14.3 Transport hazard class(es) · ADR/RID/ADN  	
· Class · Label	8 (C9) Corrosive substances. 8
· IMDG  	
· Class · Label	8 Corrosive substances. 8
· IATA 	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	
	III
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR/RID/ADN):	
	Product contains environmentally hazardous substances: Alkyl(C12-16)dimethylbenzylammonium chloride Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · Hazchem Code: · EMS Number: · Stowage Category · Stowage Code	
	Warning: Corrosive substances. 80 2X F-A,S-B B SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMO instruments	
	Not applicable.
· Transport/Additional information:	
	Not dangerous according to the above specifications.
· ADR/RID/ADN · Limited quantities (LQ) · Excepted quantities (EQ)	
	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	
	3

(Contd. on page 11)

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 10)

· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (ALKYL(C12-16) DIMETHYLBENZYLAMMONIUM CHLORIDE), 8, III, ENVIRONMENTALLY HAZARDOUS

* SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

· Regulated explosives precursors	None of the ingredients are listed.
· Regulated poisons	None of the ingredients are listed.
· Reportable explosives precursors	None of the ingredients are listed.
· Reportable poisons	None of the ingredients are listed.

- Control Of Major Accident Hazards Regulations 2015 (COMAH)
- Named dangerous substances - ANNEX I None of the ingredients are listed.
- COMAH category E2
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- Relevant phrases
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.
- Training hints
This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.
- Department issuing SDS: Product safety department.

(Contd. on page 12)

— GB —

Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 8 (replaces version 7)

Revision: 27.01.2025

Trade name: Algae Controller

(Contd. of page 11)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· * Data compared to the previous version altered.

GB
