

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Instant Filter Cleaner
- **Registration number** Mixture
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **Uses advised against** None identified
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
Complete Pool Controls Ltd  
Unit 2, The Park  
Stoke Orchard  
Bishops Cleeve  
Gloucestershire  
GL52 7RS  
UK  
  
Tel: +44 (0)1242 662700 (office hours)  
email: sales@cpc-chemicals.co.uk
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**  
OHES Environmental  
  
Tel: 01242 300271  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### \* SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to GB-CLP**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.
- **2.2 Label elements**
- **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

(Contd. on page 2)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

**Trade name: Instant Filter Cleaner**

(Contd. of page 1)

· **Precautionary statements**

- P261 Avoid breathing mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 If skin irritation occurs: Get medical advice/attention.

· **The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for contents**

non-ionic surfactants	≥15 - <30%
phosphates	<5%

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.  
· **vPvB:** Not applicable.

\* **SECTION 3: Composition/information on ingredients**

· **3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 160901-09-7 NLP: 500-446-0 Reg.nr.: 01-2119979533-26-XXXX	Alcohols, C9-11, branched and linear, ethoxylated ⚠ Eye Irrit. 2, H319; Aquatic Chronic 3, H412	2.5 – < 10%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-XXXX	2-butoxyethanol ⚠ Acute Tox. 3, H331; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	2.5 – < 10%
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18-XXXX	Tetrapotassium pyrophosphate ⚠ Eye Irrit. 2, H319	1 – 2.5%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-XXXX	Potassium hydroxide ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	1 – < 2%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

\* **SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

- **General information:** Immediately remove any clothing soiled by the product.

(Contd. on page 3)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

**Trade name: Instant Filter Cleaner**

(Contd. of page 2)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### \* SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide and carbon dioxide  
Phosphorous oxides
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### \* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Wear protective clothing.  
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**  
Do not allow to penetrate the ground/soil.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
Ensure adequate ventilation.

(Contd. on page 4)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

**Trade name: Instant Filter Cleaner**

(Contd. of page 3)

- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Handling:** Do not mix with other products.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Prevent any seepage into the ground.  
Do not store in aluminium, copper, zinc containers.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**  
Protect from frost.  
Store in cool, dry conditions in well sealed receptacles.
- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

### \* SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 111-76-2 2-butoxyethanol**

WEL	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 123 mg/m <sup>3</sup> , 25 ppm Sk, BMGV

**CAS: 1310-58-3 Potassium hydroxide**

WEL	Short-term value: 2 mg/m <sup>3</sup>
-----	---------------------------------------

- **DNELs**

**CAS: 160901-09-7 Alcohols, C9-11, branched and linear, ethoxylated**

Oral	Long-term systemic effects	3 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	150 mg/kg bw/day (general population)
		420 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	7.84 mg/m <sup>3</sup> (general population)
		44.4 mg/m <sup>3</sup> (worker)

**CAS: 111-76-2 2-butoxyethanol**

Oral	Long-term systemic effects	6.3 mg/kg bw/day (general population)
------	----------------------------	---------------------------------------

(Contd. on page 5)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

**Trade name: Instant Filter Cleaner**

(Contd. of page 4)

Inhalative	Short-term systemic effects	26.7 mg/kg bw/day (general population)
	Long-term systemic effects	59 mg/m <sup>3</sup> (general population) 98 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	426 mg/m <sup>3</sup> (general population) 1,091 mg/m <sup>3</sup> (worker)
	Short-term local effects	147 mg/m <sup>3</sup> (general population) 246 mg/m <sup>3</sup> (worker)
<b>CAS: 7320-34-5 Tetrapotassium pyrophosphate</b>		
Inhalative	Long-term systemic effects	4.35 mg/m <sup>3</sup> (general population) 17.63 mg/m <sup>3</sup> (worker)
<b>CAS: 1310-58-3 Potassium hydroxide</b>		
Inhalative	Long-term local effects	1 mg/m <sup>3</sup> (general population) 1 mg/m <sup>3</sup> (worker)

· **PNECs**

**CAS: 160901-09-7 Alcohols, C9-11, branched and linear, ethoxylated**

Freshwater	10.7 µg/L
Freshwater - Intermittent releases	19.5 µg/L
Marine water	1.07 µg/L
Marine Water - Intermittent releases	1.95 µg/L
Sewage Treatment Plant	10 mg/L
Sediment (freshwater)	73.9 µg/kg
Sediment (marine water)	7.39 µg/kg
Soil	8.6 µg/kg

**CAS: 111-76-2 2-butoxyethanol**

Freshwater	8.8 mg/L
Freshwater - Intermittent releases	26.4 mg/L
Marine water	880 µg/L
Sewage Treatment Plant	463 mg/L
Sediment (freshwater)	34.6 mg/kg
Sediment (marine water)	3.46 mg/kg
Soil	2.33 mg/kg
Secondary poisoning	20 mg/kg food

· **Ingredients with biological limit values:**

**CAS: 111-76-2 2-butoxyethanol**

BMGV	240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid
------	---

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 6)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

**Trade name: Instant Filter Cleaner**

(Contd. of page 5)

- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Do not eat, drink, smoke or sniff while working.  
Take note of assigned Workplace Exposure Limits.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Ensure that eyewash stations and safety showers are close to the workstation location.
- **Respiratory protection:**  
Use suitable respiratory protective device in case of insufficient ventilation.  
Filter A for organic vapours
- **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Goggles recommended during refilling

- **Body protection:**



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.
- **Risk management measures** The operators shall be instructed adequately.

## \* SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Liquid
- **Colour:** Light yellow

(Contd. on page 7)

— GB —

## Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

Trade name: Instant Filter Cleaner

(Contd. of page 6)

<ul style="list-style-type: none"> <li>· <b>Odour:</b></li> <li>· <b>Odour threshold:</b></li> <li>· <b>Melting point/freezing point:</b></li> <li>· <b>Boiling point or initial boiling point and boiling range</b></li> <li>· <b>Flammability</b></li> <li>· <b>Lower and upper explosion limit</b></li> <li>· <b>Lower:</b></li> <li>· <b>Upper:</b></li> <li>· <b>Flash point:</b></li> <li>· <b>Decomposition temperature:</b></li> <li>· <b>pH at 20 °C</b></li> <li>· <b>Viscosity:</b></li> <li>· <b>Kinematic viscosity</b></li> <li>· <b>Dynamic:</b></li> <li>· <b>Solubility</b></li> <li>· <b>water:</b></li> <li>· <b>Partition coefficient n-octanol/water (log value)</b></li> <li>· <b>Vapour pressure at 20 °C:</b></li> <li>· <b>Density and/or relative density</b></li> <li>· <b>Density at 20 °C:</b></li> <li>· <b>Relative density</b></li> <li>· <b>Vapour density</b></li> </ul>	<ul style="list-style-type: none"> <li>Mild</li> <li>Not determined.</li> <li>Undetermined.</li> <li>100 °C</li> <li>Not applicable.</li> <li></li> <li>Not determined.</li> <li>Not determined.</li> <li>Not applicable.</li> <li>Not determined.</li> <li>11</li> <li></li> <li>Not determined.</li> <li>Not determined.</li> <li></li> <li>Fully miscible.</li> <li>Not determined.</li> <li>23 hPa</li> <li></li> <li>1.036 g/cm<sup>3</sup></li> <li>Not determined.</li> <li>Not determined.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>9.2 Other information</b></li> <li>· <b>Appearance:</b></li> <li>· <b>Form:</b></li> <li>· <b>Important information on protection of health and environment, and on safety.</b></li> <li>· <b>Ignition temperature:</b></li> <li>· <b>Explosive properties:</b></li> <li>· <b>Solvent content:</b></li> <li>· <b>VOC (EC)</b></li> <li>· <b>Change in condition</b></li> <li>· <b>Evaporation rate</b></li> </ul>	<ul style="list-style-type: none"> <li>NOTE: The physical data presented above are typical values and should not be construed as a specification.</li> <li></li> <li>Liquid</li> <li></li> <li>Product is not self-igniting.</li> <li>Product does not present an explosion hazard.</li> <li></li> <li>6.00 %</li> <li></li> <li>Not determined.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Information with regard to physical hazard classes</b></li> <li>· <b>Explosives</b></li> <li>· <b>Flammable gases</b></li> <li>· <b>Aerosols</b></li> <li>· <b>Oxidising gases</b></li> <li>· <b>Gases under pressure</b></li> <li>· <b>Flammable liquids</b></li> <li>· <b>Flammable solids</b></li> <li>· <b>Self-reactive substances and mixtures</b></li> <li>· <b>Pyrophoric liquids</b></li> <li>· <b>Pyrophoric solids</b></li> <li>· <b>Self-heating substances and mixtures</b></li> <li>· <b>Substances and mixtures, which emit flammable gases in contact with water</b></li> <li>· <b>Oxidising liquids</b></li> </ul>	<ul style="list-style-type: none"> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> <li>Void</li> </ul>

(Contd. on page 8)

— GB —

## Safety data sheet

according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

Trade name: Instant Filter Cleaner

(Contd. of page 7)

· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Do not mix with other chemical formulations in their concentrated form.
- **10.5 Incompatible materials:**  
Strong acids.  
Finely powdered metals.  
Strong oxidising agents.
- **10.6 Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)

### \* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

##### ATE (Acute Toxicity Estimates)

Oral	LD50	10,521 mg/kg
Inhalative	LC50/4 h	50 mg/l (ATE)

##### CAS: 111-76-2 2-butoxyethanol

Oral	LD50	1,200 mg/kg (ATE)
Dermal	LD50	3,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3 mg/l (ATE)
		3 mg/l (rat)

##### CAS: 7320-34-5 Tetrapotassium pyrophosphate

Oral	LD50	> 2,000 mg/kg (mouse)
Dermal	LD50	> 2,000 mg/kg (rabbit)

##### CAS: 1310-58-3 Potassium hydroxide

Oral	LD50	333 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.

(Contd. on page 9)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

Trade name: Instant Filter Cleaner

(Contd. of page 8)

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**

· <b>Endocrine disrupting properties</b>
--

None of the ingredients are listed.
-------------------------------------

## \* SECTION 12: Ecological information

### · 12.1 Toxicity

#### · **Aquatic toxicity:**

<b>CAS: 7320-34-5 Tetrapotassium pyrophosphate</b>
--

EC50 (96 h) > 100 mg/l (Bacteria)
-----------------------------------

- **12.2 Persistence and degradability** The organic portion of the product is biodegradable.
- **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## \* SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

#### · **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

(Contd. on page 10)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

**Trade name: Instant Filter Cleaner**

(Contd. of page 9)

- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.  
Disposal must be made according to official regulations.  
Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

#### SECTION 14: Transport information

· <b>14.1 UN number or ID number</b>	
· <b>ADR/RID/ADN, ADN, IMDG, IATA</b>	Not applicable
· <b>14.2 UN proper shipping name</b>	
· <b>ADR/RID/ADN, ADN, IMDG, IATA</b>	Not applicable
· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR/RID/ADN, ADN, IMDG, IATA</b>	
· <b>Class</b>	Not applicable
· <b>14.4 Packing group</b>	
· <b>ADR/RID/ADN, IMDG, IATA</b>	Not applicable
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Not applicable

#### \* SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· <b>Regulated explosives precursors</b>	
None of the ingredients are listed.	
· <b>Regulated poisons</b>	
None of the ingredients are listed.	
· <b>Reportable explosives precursors</b>	
None of the ingredients are listed.	
· <b>Reportable poisons</b>	
CAS: 1310-58-3	Potassium hydroxide
	17% of total caustic alkalinity

(Contd. on page 11)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 25.02.2025

Version number 5

Revision: 25.02.2025

**Trade name: Instant Filter Cleaner**

(Contd. of page 10)

- **Control Of Major Accident Hazards Regulations 2015 (COMAH)**
- **Named dangerous substances - ANNEX I** None of the ingredients are listed.

- **National regulations:**

- **Information about limitation of use:**

Class	Share in %
NK	4.8

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### \* **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**

H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H412 Harmful to aquatic life with long lasting effects.

- **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- **Department issuing SDS:** Product safety department.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **\* Data compared to the previous version altered.**