

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

#### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### · 1.1 Product identifier

· **Trade name:** Extra Kleen Deep Kleen

· **Registration number** Mixture

##### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

· **Product category** PC35 Washing and cleaning products (including solvent based products)

· **Application of the substance / the mixture** Cleaning agent/ Cleaner

##### · **Uses advised against**

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

Processes involving extreme heat use advised against.

Processes involving the use of incompatible substances - refer to section 10.

The product is strictly intended for industrial or professional use only.

##### · 1.3 Details of the supplier of the safety data sheet

##### · **Supplier:**

Complete Pool Controls Ltd

Unit 2, The Park

Stoke Orchard

Bishops Cleeve

Gloucestershire

GL52 7RS

UK

Tel: +44 (0)1242 662700 (office hours)

email: sales@cpc-chemicals.co.uk

· **Further information obtainable from:** Product safety department.

##### · 1.4 Emergency telephone number:

OHES Environmental

Tel: 01242 300271

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### \* SECTION 2: Hazards identification

##### · 2.1 Classification of the substance or mixture

##### · **Classification according to GB-CLP**

Met. Corr.1 H290 May be corrosive to metals.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

##### · 2.2 Label elements

· **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

Trade name: Extra Kleen Deep Kleen

(Contd. of page 1)

#### · Hazard pictograms



#### · Signal word Warning

#### · Hazard-determining components of labelling:

hydrochloric acid

#### · Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

#### · Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information: Acquisition, possession or use by the general public is restricted.

#### · 2.3 Other hazards

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

### \* SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· **Description:** An aqueous solution of the substances listed below with multifunctional additives.

#### · Dangerous components:

CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-01-X Reg.nr.: 01-2119484862-27-XXXX	hydrochloric acid Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; STOT SE 3, H335 Note: B Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % Met. Corr.1; H290: C ≥ 0.1 %	10 – < 25%
---	--	------------

(Contd. on page 3)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

Trade name: Extra Kleen Deep Kleen

(Contd. of page 2)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### \* SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Wash mouth out with water  
Do not induce vomiting; call for medical help immediately.  
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### \* SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Corrosive liquid.  
In case of fire, the following can be released:  
Hydrogen chloride (HCl)  
Reacts with most metals to produce hydrogen gas, which can form explosive mixtures with air.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### \* SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Particular danger of slipping on leaked/spilled product.  
Ensure adequate ventilation

(Contd. on page 4)

— GB —

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

**Trade name: Extra Kleen Deep Kleen**

(Contd. of page 3)

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

· **6.3 Methods and material for containment and cleaning up:**

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Lime slurry can be used to neutralize material (e.g. 10 - 50% potassium carbonate solution or 10 - 30% sodium carbonate solution).

Wash the area with plenty of water.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### \* SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

· **Information about fire - and explosion protection:** Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

· **Information about storage in one common storage facility:**

Do not store together with alkalis (caustic solutions).

Store away from oxidising agents.

· **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

· **Storage class:** 12

· **7.3 Specific end use(s)** No further relevant information available.

### \* SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 7647-01-0 hydrochloric acid**

WEL	Short-term value: 8 mg/m <sup>3</sup> , 5 ppm
	Long-term value: 2 mg/m <sup>3</sup> , 1 ppm (gas and aerosol mists)

· **DNELs**

**CAS: 7647-01-0 hydrochloric acid**

Inhalative	Long-term local effects	8 mg/m <sup>3</sup> (general population)
------------	-------------------------	--

(Contd. on page 5)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

**Trade name: Extra Kleen Deep Kleen**

(Contd. of page 4)

	Short-term local effects	8 mg/m <sup>3</sup> (worker) 15 mg/m <sup>3</sup> (general population) 15 mg/m <sup>3</sup> (worker)
--	--------------------------	--

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

· **Risk management measures** The operators shall be instructed adequately.

— GB —

(Contd. on page 6)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

Trade name: Extra Kleen Deep Kleen

(Contd. of page 5)

#### \* SECTION 9: Physical and chemical properties

##### · 9.1 Information on basic physical and chemical properties

##### · General Information

· Physical state	Liquid
· Colour:	Light blue
· Odour:	Pungent
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	90 – 100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	0.5 – 1
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.09 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.

##### · 9.2 Other information

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	0.00 %
· Change in condition	
· Evaporation rate	Not determined.

##### · Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void

(Contd. on page 7)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

Trade name: Extra Kleen Deep Kleen

(Contd. of page 6)

· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Void

#### \* SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with alkali and metals.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
  - Strong bases.
  - Strong oxidising agents.
- **10.6 Hazardous decomposition products:** Hydrogen chloride (HCl)

#### \* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

##### · LD/LC50 values relevant for classification:

##### ATE (Acute Toxicity Estimates)

Oral	LD50	5,625 mg/kg (rabbit)
------	------	----------------------

##### CAS: 7647-01-0 hydrochloric acid

Oral	LD50	900 mg/kg (rabbit)
------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
  - Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

##### · Additional toxicological information:

Inhalation of decomposition products may cause lung oedema. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Attention by a doctor should be considered.

(Contd. on page 8)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

Trade name: Extra Kleen Deep Kleen

(Contd. of page 7)

#### · 11.2 Information on other hazards

##### · Endocrine disrupting properties

None of the ingredients are listed.

### \* SECTION 12: Ecological information

#### · 12.1 Toxicity

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.

· **12.4 Mobility in soil** No further relevant information available.

#### · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

#### · 12.7 Other adverse effects

#### · Additional ecological information:

##### · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### \* SECTION 13: Disposal considerations

#### · 13.1 Waste treatment methods

##### · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

##### · Uncleaned packaging:

##### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Container remains hazardous when empty. Continue to observe all precautions.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

— GB —

(Contd. on page 9)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025



Version number 9 (replaces version 8)

Revision: 27.01.2025

Trade name: Extra Kleen Deep Kleen

(Contd. of page 8)

#### \* SECTION 14: Transport information

· 14.1 UN number or ID number	UN3264
· ADR/RID/ADN, IMDG, IATA	
· 14.2 UN proper shipping name	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID)
· ADR/RID/ADN	
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID)
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
	
· Class	8 (C1) Corrosive substances.
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	III
· ADR/RID/ADN, IMDG, IATA	
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	80
· Hazchem Code:	2X
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	C
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2

(Contd. on page 10)

— GB —

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

**Trade name: Extra Kleen Deep Kleen**

(Contd. of page 9)

· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID), 8, III

#### \* SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· <b>Regulated explosives precursors</b>	
CAS: 7647-01-0   hydrochloric acid	10%
· <b>Regulated poisons</b>	
None of the ingredients are listed.	
· <b>Reportable explosives precursors</b>	
None of the ingredients are listed.	
· <b>Reportable poisons</b>	
None of the ingredients are listed.	

- **Control Of Major Accident Hazards Regulations 2015 (COMAH)**
- **Named dangerous substances - ANNEX I** None of the ingredients are listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### \* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.  
This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

- **Relevant phrases**  
H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.
- **Training hints**  
This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.
- **Department issuing SDS:** Product safety department.

(Contd. on page 11)

## Safety data sheet

### according to UK REACH (SI 2020/1577) as amended

Printing date 27.01.2025

Version number 9 (replaces version 8)

Revision: 27.01.2025

---

**Trade name: Extra Kleen Deep Kleen**


---

(Contd. of page 10)

#### · **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

#### · **\* Data compared to the previous version altered.**

---

GB