

Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: Spa Fusion
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category
- PC37 Water treatment chemicals
- PC8 Biocidal products

· Application of the substance / the mixture Disinfectant

· Uses advised against

Processes involving the use of incompatible substances - refer to section 10. Processes involving extreme heat use advised against.

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Complete Pool Controls Ltd Unit 2, The Park Stoke Orchard Bishops Cleeve Gloucestershire GL52 7RS UK

Tel: +44 (0)1242 662700 (office hours) email: sales@cpc-chemicals.co.uk

· Further information obtainable from: Product safety department.

· 1.4 Emergency telephone number:

OHES Environmental

Tel: 01242 300271 Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

\cdot 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Eye Irrit. 2	H319 Causes serious eye irritation.
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.
. ? ? I ahel element	e

· 2.2 Label elements

· Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Spa Fusion

- (Contd. of page 1) · Hazard pictograms GHS08 GHS07 GHS09 · Signal word Danger · Hazard-determining components of labelling: Troclosene sodium, dihydrate Sodium persulphate · Hazard statements H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. P261 P280 Wear protective gloves / eye protection / face protection. P284 [In case of inadequate ventilation] wear respiratory protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: EUH031 Contact with acids liberates toxic gas. EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine). Contains biocidal active substance(s): Troclosene sodium, dihydrate · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.
- **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

 \cdot **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

· Dangerous components.		
CAS: 51580-86-0	Troclosene sodium, dihydrate	25 - 50%
EC number: 610-700-3	Alternative CAS number: 2893-78-9	
Reg.nr.: 01-2119489371-33-XXXX	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335, EUH031, EUH206	
CAS: 7647-14-5	Sodium chloride	25 - 50%
EINECS: 231-598-3	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119494219-28-XXXX		
	. ()	Contd. on page 3)

_____ GB ____



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

(Contd. of mage 2)

Trade name: Spa Fusion

			Conta. of page 2)
	CAS: 7775-27-1	Sodium persulphate	2.5 - < 10%
	EINECS: 231-892-1	🛞 Ox. Sol. 2, H272; 🚷 Resp. Sens. 1, H334; 🕔 Acute Tox. 4,	
		H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
_			

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

- In case of inhalation:
- Provide fresh air.
- In case of breathing difficulties administer oxygen.
- No mouth-to-mouth or mouth-to-nose resuscitation. Use respiratory bag or oxygen resuscitation apparatus.
- Do not leave patient unattended.
- In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Water spray
- Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

- \cdot For safety reasons unsuitable extinguishing agents:
- Foam
- ABC powder
- Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Sulphur Oxides (SOx)

Chlorine gas

Nitrogen oxides (NOx)



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

(Contd. of page 3)

Trade name: Spa Fusion

Hydrogen chloride (HCl)

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.

Product is not classified as oxidizing. However, it enhances combustion of other substances.

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation

Mount respiratory protective device.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Do not use combustible materials such as paper towels to clean up spills.

DO NOT transport wet or damp material. Damp material should be neutralized to a safe state.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

\cdot 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Do not mix with acids.

Rinse contaminated clothing with plenty of water (Fire hazard)

Safety showers and eye wash facilities should be available at the work area.

Ensure good ventilation/exhaustion at the workplace.

Do not mix with acids.

· Information about fire - and explosion protection:

Substance/product can reduce the ignition temperature of flammable substances.



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

(Contd. of page 4)

Trade name: Spa Fusion

· Handling:

Clean contaminated work equipment immediately to avoid skin corrosion/-irritation and/or allergic skin reactions in case of unconscious skin contact. Prevent formation of dust.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Prevent any seepage into the ground.

Do not store on combustible materials such as wooden floors or wooden pallets.

· Information about storage in one common storage facility:

Store away from flammable substances. Do not store together with textiles. Store away from reducing agents.

Do not store together with acids.

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from humidity and water.
Storage class: 11

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
CAS: 51580-86-0 Troclosene sodium, dihydrate			
WEL	S	hort-te	rm value: 0.07 mg/m ³
	L	long-ter	rm value: 0.02 mg/m ³
	Se	en; as -	-NCO
CAS: 764	7-14-5 Sodium chlorid	de	
RESPIRA	BLE DUST L	.ong-te	rm value: 4 mg/m ³
TOTAL IN	NHALABLE DUST	.ong-te	rm value: 10 mg/m ³
· DNELs			
CAS: 515	80-86-0 Troclosene so	odium,	dihydrate
Oral	Long-term systemic ef	effects	1.15 mg/kg bw/day (general population)
Dermal	Long-term systemic ef	effects	1.15 mg/kg bw/day (general population)
			2.3 mg/kg bw/day (worker)
Inhalative Long-term systemic effects		effects	1.99 mg/m ³ (general population)
			8.11 mg/m ³ (worker)
CAS: 764	CAS: 7647-14-5 Sodium chloride		
Oral	Long-term systemic ef	effects	126.65 mg/kg bw/day (general population)
	Short-term systemic e	effects	126.65 mg/kg bw/day (general population)
Dermal	Long-term systemic ef	effects	126.65 mg/kg bw/day (general population)
			295.52 mg/kg bw/day (worker)
			(Contd. on page 6)



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Spa Fusion

	-	(Contd. of page	
	Short-term systemic eff	fects 126.65 mg/kg bw/day (general population)	
		295.52 mg/kg bw/day (worker)	
Inhalative	Long-term systemic eff	fects 443.28 mg/m ³ (general population)	
		2,068.62 mg/m ³ (worker)	
	Short-term systemic eff	fects 443.28 mg/m ³ (general population)	
		2,068.62 mg/m ³ (worker)	
CAS: 777	5-27-1 Sodium persulp	phate	
Oral	Short-term systemic eff	fects 1.37 mg/kg bw/day (general population)	
	Long-term systemic eff	fects 460 µg/kg bw/day (general population)	
Dermal	Long-term systemic eff	fects 4.6 mg/kg bw/day (general population)	
		12.7 mg/kg bw/day (worker)	
Inhalative	Long-term local effects	421 μg/m ³ (general population)	
		824 μg/m ³ (worker)	
· PNECs			
CAS: 515	80-86-0 Troclosene soc	dium, dihydrate	
Freshwater	r	170 ng/L	
Freshwater	r - Intermittent releases	1.7 µg/L	
Marine wa	iter	1.52 mg/L	
Sewage Tr	eatment Plant	590 μg/L	
Sediment ((freshwater)	7.56 mg/kg	
Soil		756 μg/kg	
CAS: 764	7-14-5 Sodium chlorid	e	
Freshwater	r	5 mg/L	
Sewage Tr	eatment Plant	500 mg/L	
Soil		4.86 mg/kg	
CAS: 777	5-27-1 Sodium persulp	bhate	
Freshwater	r	518 µg/L	
Freshwater	r - Intermittent releases	763 μg/L	
Marine wa	iter	51.8 μg/L	
Sewage Tr		3.6 mg/L	
Sediment ((freshwater)	2.03 mg/kg	
Sediment ((marine water)	203 µg/kg	
Soil		100 µg/kg	

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Take note of assigned Workplace Exposure Limits.

Do not breathe dust



Printing date 27.01.2025

Version number 7 (replaces version 6)

Trade name: Spa Fusion

Do not eat or drink while working.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Chloroprene rubber, CR

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· Body protection:



Protective work clothing

Do not get on skin or clothing. Wear clothing and footwear that cannot be penetrated by the product. Suitable protective equipment may include: Chemical resistant boots, Chemical resistant apron, Full chemical protective suit with a hood, Chemical protective suit consisting of a jacket and trousers. The jacket should be buttoned up to the neck, sleeves sealed at the gloves, and trouser legs worn outside the boots. These precautions are required to prevent the clothing from accidentally trapping product against the skin.

· Environmental exposure controls Do not allow to enter drains, sewers or watercourses.

(Contd. of page 6)

Revision: 27.01.2025



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

(Contd. of page 7)

Trade name: Spa Fusion

· Risk management measures The operators shall be instructed adequately.

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Physical state Solid · Colour: White · Odour: Like chlorine · Odour threshold: Not determined. 250 °C • Melting point/freezing point: · Boiling point or initial boiling point and boiling range Undetermined. · Flammability Not determined. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. · Decomposition temperature: Not determined. · pH at 20 °C 9 - 10(2%)· Viscosity: · Kinematic viscosity Not applicable. Not applicable. · Dynamic: · Solubility Soluble. · water: Not determined. · Partition coefficient n-octanol/water (log value) · Vapour pressure: Not applicable. · Density and/or relative density · Density at 20 °C: 1.233 g/cm3 · Relative density Not determined. 1,000 kg/m³ · Bulk density: · Vapour density Not applicable. • 9.2 Other information NOTE: The physical data presented above are typical values and should not be construed as a specification. · Appearance: Granulate · Form: · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not self-igniting. · Explosive properties: Product does not present an explosion hazard. · Change in condition · Evaporation rate Not applicable. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void (Contd. on page 9)



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Spa Fusion

		(Contd. of page 8)
· Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
 Pyrophoric liquids 	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamma	ıble gases	
in contact with water	Void	
 Oxidising liquids 	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: Risk of explosion on heating.

10.3 Possibility of hazardous reactions
Reacts with oxidising agents.
Reacts with strong alkali.
Reacts with amines.
Strong exothermic reaction with acids.
Reacts with flammable substances.
Reacts with acids releasing chlorine.
Reacts with reducing agents.
• 10.4 Conditions to avoid
Heat and static discharge.
Do not mix with other chemical formulations in their concentrated form.
10.5 Incompatible materials:
Substances specifically listed in section 10.3 as incompatible.
Combustible materials.
Organic solvents.
Strong acids.
Reducing agents
Amines.
Ammonia
Hypochlorous acid and Hypochlorites
 10.6 Hazardous decomposition products:
Chlorine
Chlorine compounds
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Sulphur oxides (SOx)

GB —



Printing date 27.01.2025

Version number 7 (replaces version 6)

Trade name: Spa Fusion

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimates)			
Oral	LD50	2,319.3 mg/kg (rat)		
CAS: 515	80-86-0 Tr	oclosene sodium, dihydrate		
Oral	LD50	1,500 mg/kg (rat)		
Dermal	LD50	> 5,000 mg/kg (rabbit)		
CAS: 764	7-14-5 Sod	lium chloride		
Oral	LD50	> 2,000 mg/kg (rat)		
CAS: 777	CAS: 7775-27-1 Sodium persulphate			
Oral	Oral LD50 920 mg/kg (rat)			
Dermal LD50 > 10,000 mg/kg (rabbit)		> 10,000 mg/kg (rabbit)		
Inhalative	LC50/4 h	> 5 mg/l (rat)		
· Primary i	Primary irritant effect:			

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · Additional toxicological information: ROUTES OF EXPOSURE: Can be absorbed into the body by inhalation and by ingestion. Repeated or prolonged skin contact may induce sensitisation.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients are listed.

SECTION 12: Ecological information

· 12.1 Toxicity

 Aquatic toxi 	· Aquatic toxicity:	
CAS: 7647-1	14-5 Sodium chloride	
EC50 (96 h)	> 4,000 mg/l (Bacteria)	
	5,840 mg/l (fsh)	

(Contd. of page 9)

Revision: 27.01.2025

(Contd. on page 11) - GB



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

(Contd. of page 10)

Trade name: Spa Fusion

CAS: 7775-27-1 Sodium persulphate

EC50 (72 h) 320 mg/l (Algae)

- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:
- Very toxic for aquatic organisms
- Also poisonous for fish and plankton in water bodies.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Do not mix with other waste streams.

Container remains hazardous when empty. Continue to observe all precautions.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

- · 14.1 UN number or ID number
- · ADR/RID/ADN, IMDG, IATA

UN3077

(Contd. on page 12)



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Spa Fusion

14.2 UN proper shipping name ADR/RID/ADN IMDG IATA	UN3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (Troclosene sodium dihydrate) ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (Troclosene sodium, dihydrate), MARIN POLLUTANT
	dihydrate) ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (Troclosene sodium, dihydrate), MARIN
14 7 4	POLLUTANT
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S. (Troclosene sodium, dihydrate)
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label	9 (M7) Miscellaneous dangerous substances and articles. 9
IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles.9
14.4 Packing group ADR/RID/ADN, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substances Troclosene sodium, dihydrate
Marine pollutant: Special marking (ADR/RID/ADN):	Symbol (fish and tree) Symbol (fish and tree)
Special marking (IATA): Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Miscellaneous dangerous substances and articles. 90
Hazchem Code:	2Z
EMS Number:	F-A,S-F
Stowage Category Stowage Code	A SW23 When transported in BK3 bulk container, see 7.6.2.1 and 7.7.3.9.
14.7 Maritime transport in bulk according to IM instruments	IO Not applicable.
	(Contd. on page 1



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

Trade name: Spa Fusion

(Contd. of page 12)
Amounts up to 5kg or 5L per single or inner package are not regulated according to ADR/RID SP 375, IMDG 2.10.2.7 and IATA SP A197. DO NOT transport wet or damp product.
5 kg
Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g
3
(-)
5 kg
Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g
UN 3077 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, SOLID, N.O.S. (TROCLOSENE SODIUM,
DIHYDRATE), 9, III

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Poisons Act

· Regulated explosives precursors	
None of the ingredients are listed.	
· Regulated poisons	
None of the ingredients are listed.	
· Reportable explosives precursors	
None of the ingredients are listed.	
· Reportable poisons	
NT and Caller the set of the 1th of the 1	

None of the ingredients are listed.

- · Control Of Major Accident Hazards Regulations 2015 (COMAH)
- Named dangerous substances ANNEX I None of the ingredients are listed.
- · COMAH category E1

· Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 14)

- GB -



Printing date 27.01.2025

Version number 7 (replaces version 6)

Revision: 27.01.2025

(Contd. of page 13)

GB •

Trade name: Spa Fusion

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH031 Contact with acids liberates toxic gas.

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

· Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Ox. Sol. 2: Oxidizing solids Category 2
- Acute Tox. 4: Acute toxicity Category 4
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Resp. Sens. 1: Respiratory sensitisation Category 1
- Skin Sens. 1: Skin sensitisation Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* Nata compared to the provide variant altered