BRENNTAG **ConnectingChemistry** SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 HTH GRANULES (ALL GRADES) Version 3.1 Print Date 2015/03/24 MSDS code: MHTH004 Revision date / valid from 2015/03/24 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name : HTH GRANULES (ALL GRADES) 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the : At this time we do not yet have information on identified uses. They will be included in this safety data sheet when available. Substance/Mixture : At this moment we have not identified any uses advised Uses advised against against 1.3. Details of the supplier of the safety data sheet Brenntag UK & Ireland Company Albion House, Rawdon Park GB LS19 7XX Leeds Yeadon Telephone 1 +44 (0) 113 3879 200 Telefax 1 +44 (0) 113 3879 280 E-mail address : msds@brenntag.co.uk **Emergency telephone number** 1.4. Emergency telephone : Emergency only telephone number (open 24 hours): number +44 (0) 1865 407333 (N.C.E.C. Culham) **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 **REGULATION (EC) No 1272/2008** Hazard Hazard class Hazard category **Target Organs** statements Oxidizing solids H272 Category 2 ----Acute toxicity (Oral) Category 4 H302 ---Skin corrosion Category 1B H314 ---Specific target organ toxicity Category 3 H335 --- single exposure R48655 1/14 EN



HTH GRANULES (ALL GRADES)

Acute aquatic toxicity	Category 1	 H400
rioute aquatio tertiony	Category	11100

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Directive 67/548/EEC or 1999/45/EC					
Hazard symbol / Category of danger Risk phrases					
Oxidising (O)	R 8				
Corrosive (C)	R34				
Harmful (Xn)	R22				
Dangerous for the environment (N)	R50				
	R31				

For the full text of the R-phrases mentioned in this Section, see Section 16.

Most important adverse effects

Human Health	:	See section 11 for toxicological information.
Physical and chemical hazards	:	See section 9 for physicochemical information.
	:	See section 12 for environmental information.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

	Hazard symbols	:	0	J.		
	Signal word	:	Danger			
	Hazard statements	:	H272 H302 H314 H335 H400		May intensify fire; oxidiser. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. Very toxic to aquatic life.	
	Precautionary statements					
	General	:	P101		If medical advice is needed, have product container or label at hand.	
			P102 P103		Keep out of reach of children. Read label before use.	
R4865	5 / Version 3.1			2/14		ł



Prevention	:	P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
		P220	Keep/Store away from clothing/ combustik
		. 220	materials.
		P221	Take any precaution to avoid mixing with
			combustibles.
		P260	Do not breathe dust/ fume/ gas/ mist/
			vapours/ spray.
		P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
		P264	Wash hands thoroughly after handling.
		P270	Do not eat, drink or smoke when using thi
		D074	product.
		P271	Use only outdoors or in a well-ventilated area.
		P273	Avoid release to the environment.
		P280	Wear protective gloves/ protective clothing
			eye protection/ face protection.
Response	:	P301 + P330 +	P331 IF SWALLOWED: Rinse mouth. Do
			NOT induce vomiting.
		P303 + P361 +	()
			Take off immediately all contaminated
			clothing. Rinse skin with water/ shower.
			Immediately call a POISON CENTER or
			doctor/ physician.
		P305 + P351 +	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
			lenses, if present and easy to do. Continue
			rinsing.
		P330	Rinse mouth.
		P363	Wash contaminated clothing before reuse
		P391	Collect spillage.
		P310	Immediately call a POISON
			CENTER/doctor.
		P370 + P378	In case of fire: Use water spray to
		D312	extinguish. Call a POISON CENTER/doctor if you fee
		P312	unwell.
		P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
		P304 + P340	IF INHALED: Remove person to fresh air
			and keep comfortable for breathing.
Storage	:	P403 + P233	Store in a well-ventilated place. Keep
5			container tightly closed.
		P405	Store locked up.
		P501	Dispose of contents/ container in
Disposal	:	FJUT	
Disposal	:	FJUT	accordance with the local regulations.

EUH031 Contact with acids liberates toxic gas.



HTH GRANULES (ALL GRADES)

Hazardous components which must be listed on the label:

• calcium hypochlorite

2.3. Other hazards

For Results of PBT and vPvB assessment see section 12.5.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

			Classifi (REGULATION (E	•••••	
Haz	ardous components	Amount [%]	Hazard class / Hazard category	Hazard statements	Classification (67/548/EEC)
calcium hyp	ochlorite				
Index-No. CAS-No. EC-No.	: 017-012-00-7 : 7778-54-3 : 231-908-7	> 50 - < 100	Ox. Sol.2 Acute Tox.4 Skin Corr.1B STOT SE3 Aquatic Acute1	H272 H302 H314 H335 H400	Oxidising; O; R 8 Harmful; Xn; R22 R31 Corrosive; C; R34 Dangerous for the environment; N; R50
Calcium dih	ydroxide				
CAS-No. EC-No.	: 1305-62-0 : 215-137-3	< 3	Eye Dam.1	H318	Irritant; Xi; R41
calcium chlo	oride				
Index-No. CAS-No. EC-No. C&L-No.	: 017-013-00-2 : 10043-52-4 : 233-140-8 : 02-2119752417-35-0000	< 2	Eye Irrit.2	H319	Irritant; Xi; R36
Calcium chl	Calcium chlorate				
CAS-No. EC-No.	: 10137-74-3 : 233-378-2	< 2	Ox. Sol.2	H272	Oxidising; O; R 8

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1.	Description of first aid measures			
	General advice	: Take off all contaminated clothing immediately.		
	If inhaled	: In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer		
R486	655 / Version 3.1	4/14	EN	



R486	55 / Version 3.1	5/14	EN
	Personal precautions	: Use personal protective equipment. Keep away unprotected persons. Ensure adequate ventilation. Avoid contact with skin	
6.1.	Personal precautions, prot	tective equipment and emergency procedures	
SEC	TION 6: Accidental releas	se measures	
	Special protective equipment for firefighters Further information	 In the event of fire, wear self-contained breathing apparatus.Wear personal protective equipment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. 	
5.3.	Advice for firefighters		
	Specific hazards during firefighting	: The substance itself does not burn, but in contact with combustible substances it increases the risk of fire and can fuel any existing fire substantially. In the event of fire and/or explosion do not breathe fumes.	
5.2.	Special hazards arising fro	om the substance or mixture	
5.1.	Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. High volume water jet, Dry powder 	
SEC	TION 5: Firefighting meas	sures	
	Treatment	: Treat symptomatically. No further information available.	
4.3.	Indication of any immediat	te medical attention and special treatment needed	
	Effects	: See Section 11 for more detailed information on health effects and symptoms.	
	Symptoms	: See Section 11 for more detailed information on health effects and symptoms.	
4.2.	Most important symptoms	and effects, both acute and delayed	
	If swallowed	: Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician immediately.	
	In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult an eye specialist immediately. Go to an ophthalmic hospital if possible.	
	In case of skin contact	: Wash off immediately with soap and plenty of water. Call a physician immediately.	
		artificial respiration. Call a physician immediately.	



HTH GRANULES (ALL GRADES)

and eyes. Do not breathe gas/fumes/vapour/spray. For personal protection see section 8.

6.2. Environmental precautions

Environmental : Do not flush into surface water or sanitary sewer system. precautions

6.3. Methods and materials for containment and cleaning up

Methods and materials for containment and cleaning up	:	Use mechanical handling equipment. Keep in suitable, closed containers for disposal.
٥F	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Further information	:	Treat recovered material as described in the section "Disposal considerations".

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

D 400		044	
	Further information on storage conditions	: Keep tightly closed in a dry and cool place. Keep away from heat. Store away from flammable substances. Store away from reducing agents. Store away from acids.	
	Advice on protection against fire and explosion	: Contact with combustible material may cause fire. Keep away from sources of ignition - No smoking. Oxidising	
	Requirements for storage areas and containers	: Keep only in the original container.	
7.2.	Conditions for safe storag	e, including any incompatibilities	
	Hygiene measures	: Keep away from food, drink and animal feedingstuffs. Smoking, eating and drinking should be prohibited in the application area Wash hands before breaks and at the end of workday. Take off all contaminated clothing immediately. Provide adequate ventilation. Avoid contact with the skin and the eyes.	
	Advice on safe handling	: Keep container tightly closed. Avoid formation of respirable particles. Avoid contact with skin, eyes and clothing. Do not breathe vapours/dust. Use respirator with appropriate filter if vapours or aerosol are released. Use personal protective equipment. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity.	



	Advice on common storage	: Keep away from combustible material. Keep away from food, drink and animal feedingstuffs.					
	Storage temperature	e : < 35 °C					
7.3.	Specific end use(s)						
	Specific use(s)	: No information available.					
SEC	TION 8: Exposure c	ontrols/personal protection					
8.1.	Control parameters						
	Component:	Calcium dihydroxide CAS-No. 1305-62-0					
		Other Occupational Exposure Limit Values					
	EU ELV, Time Weig 5 mg/m3 Indicative	hted Average (TWA):					
	EH40 WEL, Time Weighted Average (TWA): 5 mg/m3						
	ELV (IE), Time Weighted Average (TWA): 5 mg/m3						
8.2.	Exposure controls						
	Appropriate enginee Refer to protective me	ering controls easures listed in sections 7 and 8.					
	Personal protective Respiratory protecti						
	Advice	 In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use self-contained breathing apparatus. 					
	Filter Type	: P2 filter					
	Hand protection						
	Advice	 The glove material has to be impermeable and resistant to the product / the substance / the preparation. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Protective gloves should be replaced at first signs of wear. 					
R486	55 / Version 3.1	7/14	EN				



HTH GRANULES (ALL GRADES)

	The following materials are suitable: polychloroprene Neoprene gloves				
Eye protection					
Advice :	Tightly fitting safety goggles				
Skin and body protection					
Advice :	impervious clothing Chemical resistant apron				
Environmental exposure	Environmental exposure controls				
General advice :	Do not flush into surface water or sanitary sewer system.				

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	÷	tablet	
Colour		Whitish	
	•		
Odour	:	characteristic	
Odour Threshold	:	no data available	
рН	:	10.5 - 11.5 (10 g/l; 20 °C)	
Melting point/range	:	100 °C	
Boiling point	:	no data available	
Flash point	:	no data available	
Evaporation rate	:	no data available	
Flammability (solid, gas)	:	Contact with combustible material may cause fire.	
Upper explosion limit	:	no data available	
Lower explosion limit	:	no data available	
Vapour pressure	:	no data available	
Relative vapour density	:	no data available	
Density	:	1.3 g/cm3 (20 °C)	
Water solubility	:	217 g/l (20 °C)	
R48655 / Version 3.1		8/14	EN



R486	55 / Version 3.1	9/14	EN
11.1.	Information on toxicologic	al effects	
SEC	FION 11: Toxicological in	ormation	
	Hazardous decomposition products	: Toxic gases, chlorine oxides	
10.6.	Hazardous decomposition	products	
	Materials to avoid	: Keep away from combustible material.	
10.5.	Incompatible materials		
	Thermal decomposition		
	Conditions to avoid	: > 35 °C	
10.4.	Conditions to avoid		
	Hazardous reactions	: Contact with combustible material may cause fire. Strong oxidizing agents Amines and alcohols cause exothermic reactions. Contact with acids liberates very toxic gas. Reacts with alkalies.	
10.3.	Possibility of hazardous re	actions	
	Advice	: No decomposition if stored and applied as directed. No further information available.	
10.2.	Chemical stability		
	Advice	: No information available.	
10.1.	Reactivity		
SEC	ΓΙΟΝ 10: Stability and rea	ctivity	
	No further information availa	ble.	
9.2.	Other information		
	Oxidizing properties	: no data available	
	Explosivity	: Product is not explosive.	
	Viscosity, dynamic	: no data available	
	Thermal decomposition	: 170 - 180 °C	
	Auto-ignition temperature	: no data available	
	Partition coefficient: n-octar	ol/water : no data available	



	Acute toxicity
	Oral
	no data available
	Inhalation
	no data available
	Dermal
	no data available
	Irritation
	Skin
Result	corrosive effects
	Eyes
Result	corrosive effects Risk of serious damage to eyes.
	Sensitisation
Result	No sensitizing effect known.
	CMR effects
	CMR Properties
Carcinogenicity	no data available
Mutagenicity	no data available
Reproductive toxicity	no data available
	Specific Target Organ Toxicity
	Single exposure
	no data available
	Repeated exposure
	no data available
	Other toxic properties
R48655 / Version 3.1	10/14 EN



	Repeated dose toxicity	
	no data available	
	Aspiration hazard	
	no data available	
	Further information	
Other relevant toxicity inform	5	
Component	: calcium hypochlorite	CAS-No.
_		7778-54-3
	Acute toxicity	
	Oral	
LD50	: 850 mg/kg (Rat)	
ION 12: Ecolo Toxicity	ogical information	
	ogical information Acute toxicity	
	Acute toxicity	s (Bluegill sunfish); 96 h) (Toxici
Toxicity	Acute toxicity Fish : 0.088 mg/l (Lepomis macrochiru to fish)	
LC50	Acute toxicity Fish : 0.088 mg/l (Lepomis macrochiru to fish) Very toxic to fish.	(rainbow trout); 96 h)
LC50	Acute toxicity Fish : 0.088 mg/l (Lepomis macrochiru to fish) Very toxic to fish. : 0.16 mg/l (Oncorhynchus mykiss	e (rainbow trout); 96 h) nvertebrates
Toxicity LC50 LC50	Acute toxicity Fish : 0.088 mg/l (Lepomis macrochiru to fish) Very toxic to fish. : 0.16 mg/l (Oncorhynchus mykiss Toxicity to daphnia and other aquatic i	e (rainbow trout); 96 h) nvertebrates
Toxicity LC50 LC50	Acute toxicity Fish : 0.088 mg/l (Lepomis macrochiru to fish) Very toxic to fish. : 0.16 mg/l (Oncorhynchus mykiss Toxicity to daphnia and other aquatic i : 0.11 mg/l (Daphnia magna (Water)	e (rainbow trout); 96 h) nvertebrates
Toxicity LC50 LC50 LC50 Result	Acute toxicity Fish : 0.088 mg/l (Lepomis macrochiru to fish) Very toxic to fish. : 0.16 mg/l (Oncorhynchus mykiss Toxicity to daphnia and other aquatic i : 0.11 mg/l (Daphnia magna (Wate Acute aquatic toxicity	e (rainbow trout); 96 h) nvertebrates
Toxicity LC50 LC50 LC50 Result	Acute toxicity Fish : 0.088 mg/l (Lepomis macrochiru to fish) Very toxic to fish. : 0.16 mg/l (Oncorhynchus mykiss Toxicity to daphnia and other aquatic i : 0.11 mg/l (Daphnia magna (Wate Acute aquatic toxicity : Very toxic to aquatic organisms.	e (rainbow trout); 96 h) nvertebrates er flea); 48 h) (Toxicity to daphni
Toxicity LC50 LC50 LC50 Result	Acute toxicity Fish : 0.088 mg/l (Lepomis macrochiru to fish) Very toxic to fish. : 0.16 mg/l (Oncorhynchus mykiss Toxicity to daphnia and other aquatic i : 0.11 mg/l (Daphnia magna (Wate Acute aquatic toxicity : Very toxic to aquatic organisms.	e (rainbow trout); 96 h) nvertebrates er flea); 48 h) (Toxicity to daphni





		Persistence	
	Result :	Inorganic product which is not removable from water by biological processes.	
12.3.	Bioaccumulative potentia	I	
12.4.	Mobility in soil		
12.5.	2.5. Results of PBT and vPvB assessment		
12.6.	Other adverse effects		
		Additional ecological information	
	Result :	Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. Harmful effects to aquatic organisms due to pH-shift.	
SEC	TION 13: Disposal consi	derations	
13.1.	Waste treatment methods	i	
	Product	: Disposal together with normal waste is not allowed. Special disposal required according to local regulations. Do not let product enter drains. Contact waste disposal services.	
	Contaminated packaging	: Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleaned are to be disposed of in the same manner as the product.	
	European Waste Catalogue Number	: No waste code according to the European Waste Catalogue can be assigned for this product, as the intended use dictates the assignment. The waste code is established in consultation with the regional waste disposer.	
SECTION 14: Transport information			
14.1.	UN number		
	2880		
14.2.	UN proper shipping name		
	RID : CALCIUM F	IYPOCHLORITE, HYDRATED MIXTURE IYPOCHLORITE, HYDRATED MIXTURE IYPOCHLORITE, HYDRATED MIXTURE	



HTH GRANULES (ALL GRADES)

14.3. Transport hazard class(es)

ADR-Class (Labels; Classification Code; Hazard identification No; Tunnel restriction code)	: 5.1 5.1; O2; 50; (E)
RID-Class (Labels; Classification Code; Hazard identification No)	: 5.1 5.1; O2; 50
IMDG-Class (Labels; EmS)	:5.1 5.1; F-H, S-Q

14.4. Packaging group

:	11
:	Ш
:	11

14.5. Environmental hazards

Labeling according to 5.2.1.8 ADR Labeling according to 5.2.1.8 RID Labeling according to 5.2.1.6.3 IMDG Classification as environmentally hazardous according to 2.9.3 IMDG

Fish and tree
Fish and tree
Fish and tree
yes

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IMDG : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

no data available

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3.

R 8 R22 R31 R34	Contact with combustible material may cause fire. Harmful if swallowed. Contact with acids liberates toxic gas. Causes burns.	
R48655 / Version 3.1	13/14	EN





R36	Irritati	ng to eyes.	
R41	Risk of serious damage to eyes.		
R50	Very toxic to aquatic organisms.		
Full text of H-Statements referred to under sections 2 and 3.			
H272	Mav ir	ntensify fire; oxidiser.	
H302		ul if swallowed.	
H314	Cause	es severe skin burns and eye damage.	
H318		es serious eye damage.	
H319	Cause	es serious eye irritation.	
H335		ause respiratory irritation.	
H400	Very t	oxic to aquatic life.	
Further information			
Key literature refere and sources for dat		Supplier information and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used to create this safety data sheet.	
Other information	:	The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text	

|| Indicates updated section.