

Page 1/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025 Version number 9

Revision: 30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: BLACK SPOT ALGAECIDE
- · Registration number Mixture
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture Algaecide
- · Uses advised against

Processes involving extreme heat use advised against.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving aerosol formation or vapour release in excess of the assigned Workplace Exposure Limit where workers are exposed without suitable Respiratory Protective Equipment.

• 1.3 Details of the supplier of the safety data sheet

Supplier: Total Water Products Unit 6 Seaway Parade Ind. Estate Baglan Port Talbot SA12 7BR

Tel: 0044 1639 823233 e-mail: info@totalwaterproducts.co.uk

• Further information obtainable from: Product safety department.

• 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

* SECTION 2: Hazards identification

\cdot 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

• Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: copper sulphate pentahydrate
- · Hazard statements
- H318 Causes serious eye damage.

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Version number 9

Revision: 30.01.2025

Trade name: BLACK SPOT ALGAECIDE

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

Printing date 30.01.2025

Avoid release to the environment. P273 P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 P391 Collect spillage. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Contains biocidal active substance(s): copper sulphate pentahydrate, Methanamine, N-methyl-, polymer with (chloromethyl)oxirane 2.3 Other hazards · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7758-99-8	copper sulphate pentahydrate	10 - < 25%
EC number: 616-477-9	 Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302 	-
Index number: 029-023-00-4	Chronic 1, H410 (M=1); () Acute Tox. 4, H302	
	ATE: LD50 oral: 481 mg/kg	
CAS: 25988-97-0	Methanamine, N-methyl-, polymer with (chloromethyl)oxirane	10 - < 25%
EC number: 607-843-9	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302	
Additional information, For	the wording of the listed hazard phrases refer to section 16	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

* **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

· Information for doctor:

Antidote: the use of d-penicillamine as a chelating agent should be determined by a qualified practitioner.

Individuals with Wilson's disease are more susceptible to chronic copper poisoning.



(Contd. of page 1)



Page 3/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 9

Revision: 30.01.2025

Trade name: BLACK SPOT ALGAECIDE

(Contd. of page 2)

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Carbon monoxide and carbon dioxide Chlorine compounds Nitrogen oxides (NOx) Sulphur Oxides (SOx) Ammonia

• 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Wear fully protective suit.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

* SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing.
6.2 Environmental precautions: Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

\cdot 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wash the area with plenty of water.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* SECTION 7: Handling and storage

\cdot 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.



Page 4/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 9

Revision: 30.01.2025

(Contd. of page 3)

Trade name: BLACK SPOT ALGAECIDE

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.

· Information about storage in one common storage facility: Store away from foodstuffs.

- Further information about storage conditions: Protect from frost.
- Store in cool, dry conditions in well sealed receptacles.
- Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

* SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

CAS: 102	CAS: 102-71-6 Triethanolamine		
Oral	Long-term systemic effects	3.3 mg/kg bw/day (general population)	
Dermal	Long-term systemic effects	2.66 mg/kg bw/day (general population)	
		7.5 mg/kg bw/day (worker)	
	Long-term local effects	70 μg/kg bw/day (general population)	
		140 μg/kg bw/day (worker)	
Inhalative	Long-term local effects	400 μg/m ³ (general population)	
		1,000 μg/m ³ (worker)	
· PNECs	·		

		1
CAS: 102-71-6 Triethanolamine		
Freshwater	320 µg/L	
Freshwater - Intermittent releases	5.12 mg/L	
Marine water	32 µg/L	
Sewage Treatment Plant	10 mg/L	
Sediment (freshwater)	1.7 mg/kg	
Sediment (marine water)	170 µg/kg	
Soil	151 µg/kg	

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Storing food in the working area is prohibited.

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.



Page 5/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 9

Revision: 30.01.2025

(Contd. of page 4)

Trade name: BLACK SPOT ALGAECIDE

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

· Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

* SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties		
· General Information		
· Physical state	Liquid	
· Colour:	Dark blue	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Undetermined.	
 Boiling point or initial boiling point and boiling rang 	e Undetermined.	
· Flammability	Not applicable.	
 Lower and upper explosion limit 		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
· pH at 20 °C	8 - 8.5	

(Contd. on page 6)



Page 6/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 9

Revision: 30.01.2025

Trade name: BLACK SPOT ALGAECIDE

	(Contd. of pag
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.168 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.
Appearance:	
Form:	Liquid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	41.22 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

* SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.



Page 7/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025 Printing date 30.01.2025 Trade name: BLACK SPOT ALGAECIDE (Contd. of page 6) • 10.3 Possibility of hazardous reactions No dangerous reactions known. • 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: Strong oxidising agents. • 10.6 Hazardous decomposition products: Ammonia Carbon monoxide and carbon dioxide Chlorine compounds Nitrogen oxides (NOx) • 10.4 Conditions to avoid No further relevant information available.

Sulphur oxides (SOx) Metal oxide

* **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· Acute to	• Acute toxicity Based on available data, the classification criteria are not met.		
· LD/LC	· LD/LC50 values relevant for classification:		
ATE (A	ATE (Acute Toxicity Estimates)		
Oral	LD50	2,464.7 mg/kg	
CAS: 10	02-71-6	ó Triethanolamine	
Oral	LD50	> 2,000 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	
CAS: 77	CAS: 7758-99-8 copper sulphate pentahydrate		
Oral	LD50	481 mg/kg (ATE)	
		481 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	
CAS: 25	CAS: 25988-97-0 Methanamine, N-methyl-, polymer with (chloromethyl)oxirane		
Oral	LD50	1,672 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	

Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- Additional toxicological information:

Chronic copper poisoning in man is recognised in the form of Wilson's disease. Individuals with Wilson's disease are unable to metabolise copper. Thus, copper accumulates in various tissues and may result in liver, kidney and brain damage.

(Contd. on page 8)



Page 8/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025 Version number 9 Revision: 30.01.2025

(Contd. of page 7)

Trade name: BLACK SPOT ALGAECIDE

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 25988-97-0 Methanamine, N-methyl-, polymer with (chloromethyl)oxirane

EC50 (96 h) 0.14 mg/l (Bacteria)

• 12.2 Persistence and degradability The organic portion of the product is biodegradable.

· 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.

• 12.4 Mobility in soil No further relevant information available.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

• 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

· Remark: Very toxic for fish

- · Additional ecological information:
- · General notes:

Very toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Container remains hazardous when empty. Continue to observe all precautions.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.



Page 9/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

*

Version number 9

Revision: 30.01.2025

(Contd. of page 8)

Trade name: BLACK SPOT ALGAECIDE

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA 	UN3082
 14.2 UN proper shipping name ADR/RID/ADN IMDG IATA 	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N. O. S. (copper sulphate pentahydrate, Methanamine, N-methyl-, polymer with (chloromethyl)oxirane) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (copper sulphate pentahydrate, Methanamine, N-methyl-, polymer with (chloromethyl)oxirane), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (copper sulphate pentahydrate, Methanamine, N-methyl-, polymer with (chloromethyl)oxirane)
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
· Class · Label	9 (M6) Miscellaneous dangerous substances and articles.
· IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
 14.4 Packing group ADR/RID/ADN, IMDG, IATA 	Ш
 14.5 Environmental hazards: Marine pollutant: Special marking (ADR/RID/ADN): Special marking (IATA): 	Product contains environmentally hazardous substances: copper sulphate pentahydrate Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): 	Warning: Miscellaneous dangerous substances and articles. 90
Hazchem Code: EMS Number:	•3Z F-A,S-F (Contd. on page 10)

(Contd. on page 10)

GB



Page 10/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 9

Revision: 30.01.2025

Trade name: BLACK SPOT ALGAECIDE

	(Contd. of page 9
Stowage Category	А
• 14.7 Maritime transport in bulk according to I instruments	MO Not applicable.
• Transport/Additional information:	Amounts up to 5kg or 5L per single or inner package are not regulated according to ADR/RID SP 375, IMDG 2.10.2.7 and IATA SP A197.
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 (-)
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN3082ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER SULPHATE PENTAHYDRATE, METHANAMINE, N-METHYL- POLYMER WITH (CHLOROMETHYL)OXIRANE), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors	
None of the ingredients are listed.	
Regulated poisons	
None of the ingredients are listed.	
Reportable explosives precursors	
None of the ingredients are listed.	
Reportable poisons	
None of the ingredients are listed.	

- · Control Of Major Accident Hazards Regulations 2015 (COMAH)
- Named dangerous substances ANNEX I None of the ingredients are listed.
- · COMAH category E1
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements $200\,t$
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB



Page 11/11

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 9

Revision: 30.01.2025

(Contd. of page 10)

Trade name: BLACK SPOT ALGAECIDE

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 4: Acute toxicity - Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 * Data compared to the previous version altered. GB