

Page 1/8

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025

Version number 5 (replaces version 4)

Revision: 03.02.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

· Trade name: LIQUID POOL BLANKET

- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture Water treatment
- · Uses advised against None identified

#### • 1.3 Details of the supplier of the safety data sheet

### Supplier: Total Water Products Unit 6 Seaway Parade Ind. Estate Baglan Port Talbot SA12 7BR

Tel: 0044 1639 823233 e-mail: info@totalwaterproducts.co.uk

· Further information obtainable from: Product safety department.

1.4 Emergency telephone number:
Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

- · Classification according to GB-CLP The product is not classified, according to the GB CLP regulation.
- · 2.2 Label elements
- · Labelling according to GB-CLP Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

EUH210 Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

### • Description:

An aqueous solution of the substances listed below with multifunctional additives. The ingredients are not classified as hazardous or are below disclosure limits.

#### · Dangerous components:

0		
CAS: 57-55-6	Propane-1,2-diol	0.1 - 1%
EINECS: 200-338-0	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119456809-23-XXXX		

GB



Page 2/8

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025

Version number 5 (replaces version 4)

Revision: 03.02.2025

(Contd. of page 1)

### **Trade name: LIQUID POOL BLANKET**

### \* **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Check for and remove any contact lenses.
- Rinse opened eye for several minutes under running water.
- After swallowing:
- Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- · Information for doctor: Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### \* **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

#### Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Carbon monoxide and carbon dioxide
- 5.3 Advice for firefighters

### · Protective equipment:

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Wear fully protective suit.

• Additional information Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## \* SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions:
- Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

**6.4 Reference to other sections** See Section 7 for information on safe handling.



Page 3/8

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025

Version number 5 (replaces version 4)

Revision: 03.02.2025

(Contd. of page 2)

### Trade name: LIQUID POOL BLANKET

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## \* SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- $\cdot$  Further information about storage conditions:
- Protect from frost. Store in cool, dry conditions in well sealed receptacles.
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

## \* **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

	I I I I I I I I I I I I I I I I I I I			
· Ingredien	· Ingredients with limit values that require monitoring at the workplace:			
CAS: 57-5	CAS: 57-55-6 Propane-1,2-diol			
	$\partial$			
*tot	al vapour and particulat	tes **	particulates	
· DNELs				
CAS: 57-5	CAS: 57-55-6 Propane-1,2-diol			
Inhalative	Long-term systemic eff	fects	50 mg/m <sup>3</sup> (general population)	
			168 mg/m <sup>3</sup> (worker)	
	Long-term local effects		10 mg/m <sup>3</sup> (general population)	
			10 mg/m <sup>3</sup> (worker)	
· PNECs	PNECs			
CAS: 57-5	CAS: 57-55-6 Propane-1,2-diol			
Freshwater 260 n		260	mg/L	
Freshwater - Intermittent releases 183		183	mg/L	
Marine water 26 1		26 n	26 mg/L	
Sewage Treatment Plant 20,0		20,0	20,000 mg/L	
Sediment (freshwater) 572		572	72 mg/kg	
Sediment (marine water) 57.2		57.2	7.2 mg/kg	
Soil 50 mg/kg		50 n	ng/kg	

• Additional information: The lists valid during the making were used as basis.

#### • 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.



Page 4/8

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025

Version number 5 (replaces version 4)

Revision: 03.02.2025

(Contd. of page 3)

### Trade name: LIQUID POOL BLANKET

### · Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Take note of assigned Workplace Exposure Limits.

Wash hands before breaks and at the end of work.

Do not carry product impregnated cleaning cloths in trouser pockets.

Respiratory protection: Not necessary if room is well-ventilated.

#### Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### · Body protection:

Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

## \* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
· General Information		
· Physical state	Liquid	
· Colour:	Orange	
· Odour:	Mild	
· Odour threshold:	Not determined.	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
· Boiling point or initial boiling point and boiling range Undetermined.		
· Flammability	Not applicable.	
Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	



Page 5/8

# Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025

Version number 5 (replaces version 4)

Revision: 03.02.2025

## Trade name: LIQUID POOL BLANKET

	(Contd. of page
· Flash point:	Not applicable.
Decomposition temperature:	Not determined.
• рН at 20 °С	6
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.001 g/cm <sup>3</sup>
Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.
· Appearance:	
· Form:	Fluid
Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
• Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
· VOC (EC)	1.00 %
Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids · Flammable solids	Void Void
• Flammable solids • Self-reactive substances and mixtures	Void Void
• Sen-reactive substances and mixtures	Void Void
· Pyrophoric inquids · Pyrophoric solids	Void
• Self-heating substances and mixtures	Void
• Substances and mixtures, which emit flammable gases	
in contact with water	Void
• Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

# \* SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.



Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025

Version number 5 (replaces version 4)

Revision: 03.02.2025

### Trade name: LIQUID POOL BLANKET

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Heat and static discharge.

• 10.5 Incompatible materials: Strong oxidising agents.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

### \* SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

CAS: 57-55-6 Propane-1,2-diol

Oral LD50 2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.

11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients are listed.

## \* SECTION 12: Ecological information

#### · 12.1 Toxicity

· Aquatic toxicity:

CAS:	57-55-6	<b>Propane-1</b>	,2-diol
------	---------	------------------	---------

EC50 (96 h) > 10,000 mg/l (Bacteria)

- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

(Contd. of page 5)

Page 6/8

Is: Strong oxidising agents.

ons to be avoided: d according to specifications.



Page 7/8

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025

Version number 5 (replaces version 4)

Revision: 03.02.2025

(Contd. of page 6)

## Trade name: LIQUID POOL BLANKET

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## \* SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

### · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

### · Uncleaned packaging:

### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

<ul> <li>14.1 UN number or ID number</li> <li>ADR/RID/ADN, ADN, IMDG, IATA</li> </ul>	Not applicable
<ul> <li>14.2 UN proper shipping name</li> <li>ADR/RID/ADN, ADN, IMDG, IATA</li> </ul>	Not applicable
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA	
· Class	Not applicable
· 14.4 Packing group	
· ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO	
instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
	(Contd. on page 8)



Page 8/8

(Contd. of page 7)

## Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 03.02.2025Version number 5 (replaces version 4)Revision: 03.02.2025

Trade name: LIQUID POOL BLANKET

· UN "Model Regulation":

Not applicable

## \* SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors
- None of the ingredients are listed.
- · Regulated poisons
- None of the ingredients are listed. • Reportable explosives precursors
- None of the ingredients are listed.
- · Reportable poisons

None of the ingredients are listed.

· Control Of Major Accident Hazards Regulations 2015 (COMAH)

• Named dangerous substances - ANNEX I None of the ingredients are listed.

- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	1.0

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

\* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Department issuing SDS: Product safety department.

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- DNEL: Derived No-Effect Level (UK REACH)
- PNEC: Predicted No-Effect Concentration (UK REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- \*\* Data compared to the previous version altered.