

Page 1/10

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 10

Revision: 30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: NO MORE SCALE
- Registration number Mixture
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture Scale inhibitor
- · Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of aerosol, vapour or dust in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

• 1.3 Details of the supplier of the safety data sheet

Supplier: Total Water Products Unit 6 Seaway Parade Ind. Estate Baglan Port Talbot SA12 7BR

Tel: 0044 1639 823233 e-mail: info@totalwaterproducts.co.uk

• Further information obtainable from:

Product safety department. **1.4 Emergency telephone number:** Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

* SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to GB-CLP

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

• Labelling according to GB-CLP The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Sodium hydroxide
- Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.



Page 2/10

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 10

Revision: 30.01.2025

(Contd. of page 1)

Trade name: NO MORE SCALE

· Precautionary statements

	i i ccautional y sta	itements
	P261	Avoid breathing mist/vapours/spray.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352	IF ON SKIN: Wash with plenty of water.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
		and easy to do. Continue rinsing.
	P332+P313	If skin irritation occurs: Get medical advice/attention.
	P337+P313	If eye irritation persists: Get medical advice/attention.
•	2.3 Other hazard	S T
•	Results of PBT an	nd vPvB assessment
•	PBT: Not applicat	ole.

• **vPvB:** Not applicable.

* SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Mixture of substances listed below with non-hazardous multifunctional additives.

· Dangerous components:		
CAS: 1344-09-8	Sodium Silicate, Molar Ratio ≥2.6	2.5 - < 10%
EINECS: 215-687-4 Reg.nr.: 01-2119448725-31-XXXX	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 1310-73-2	Sodium hydroxide	1 - < 2%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 011-002-00-6	Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5$ %	
Reg.nr.: 01-2119457892-27-XXXX	Skin Corr. 1B; H314: 2 % ≤ C < 5	
	%	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2	
	%	
	Eye Irrit. 2; H319: $0.5 \% \le C < 2 \%$	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

* **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact:
- Check for and remove any contact lenses.
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- Information for doctor: Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.



Page 3/10

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 10

Revision: 30.01.2025

(Contd. of page 2)

Trade name: NO MORE SCALE

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

* **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Toxic metal oxide smoke Silicon compounds
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

- Wear fully protective suit.
- Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

* SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Ensure adequate ventilation
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:
- Do not allow to penetrate the ground/soil.
- Do not allow product to reach sewage system or any water course in the undiluted form.
- 6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

- Use neutralising agent.
- Ensure adequate ventilation.
- Wash the area with plenty of water.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

* **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.



Page 4/10

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 10

Revision: 30.01.2025

(Contd. of page 3)

Trade name: NO MORE SCALE

Safety showers and eye wash facilities should be available at the work area. • Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
 Storage:
 Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Do not store in aluminium or galvanised containers.
 Information about storage in one common storage facility: Do not store together with acids.
 Further information about storage conditions: Protect from frost.
 - Store in cool, dry conditions in well sealed receptacles.
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

* SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:					
CAS: 1310-73-2 Sodium hydroxide					
WEL Sho	WEL Short-term value: 2 mg/m ³				
· DNELs	DNELS				
CAS: 134	4-09-8 Sodium Silicate,	Molar Ratio ≥2.6			
Oral	Long-term systemic effe	cts 800 µg/kg bw/day (general population)			
Dermal	Long-term systemic effe	cts 0.8 mg/kg bw/day (general population)			
		1.59 mg/kg bw/day (worker)			
Inhalative	Long-term systemic effe	cts 1.38 mg/m ³ (general population)			
		5.61 mg/m ³ (worker)			
CAS: 131	CAS: 1310-73-2 Sodium hydroxide				
Inhalative	Long-term local effects	1 mg/m ³ (general population)			
		1 mg/m ³ (worker)			
· PNECs	· PNECs				
CAS: 134	CAS: 1344-09-8 Sodium Silicate, Molar Ratio ≥2.6				
Freshwater		7.5 mg/L			
Freshwater - Intermittent releases		7.5 mg/L			
Marine wa	ater	l mg/L			
Sewage Treatment Plant 3		348 mg/L			
CAS: 1310-73-2 Sodium hydroxideInhalativeLong-term local effects1 mg/m3 (general population) 1 mg/m3 (worker)· PNECsCAS: 1344-09-8 Sodium Silicate, Molar Ratio ≥ 2.6 Freshwater7.5 mg/L 7.5 mg/L 1 mg/LFreshwater - Intermittent releases Marine water7.5 mg/L 1 mg/L					

• Additional information: The lists valid during the making were used as basis.

• 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Take note of assigned Workplace Exposure Limits.

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

GB



Page 5/10

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 10

Revision: 30.01.2025

(Contd. of page 4)

Trade name: NO MORE SCALE

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

• Hand protection



Protective gloves. Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles conforming to EN166.

· Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

- · Environmental exposure controls Do not allow to enter drains, sewers or watercourses.
- · Risk management measures The operators shall be instructed adequately.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties		
General Information		
· Physical state	Liquid	
· Colour:	Colourless	
· Odour:	Mild	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Undetermined.	
· Boiling point or initial boiling point and boiling range 100 °C		
· Flammability	Not applicable.	
Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	



Page 6/10

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 10

Revision: 30.01.2025

Trade name: NO MORE SCALE

	(Contd. of pag
· pH at 20 °C	13 – 14
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.130 g/cm^3
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	NOTE: The physical data presented above are typical
	values and should not be construed as a specification.
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	0.00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gase	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

*

• 10.1 Reactivity No further relevant information available.



Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025 Version number 10 Revision: 30.01.2025

Trade name: NO MORE SCALE

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** Strong acids. Strong oxidising agents.

Finely powdered metals.

- 10.6 Hazardous decomposition products:
- Metal oxide

Silicon compounds

* **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation
- The classification is based on test data.
- Causes skin irritation.
- Serious eye damage/irritation
- The classification is based on test data.
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients are listed.

* SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

(Contd. of page 6)



Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 10

Revision: 30.01.2025

(Contd. of page 7)

Trade name: NO MORE SCALE

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

* SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or

- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

* SECTION 14: Transport information

 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA 	Not applicable	
 14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA 	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR/RID/ADN, ADN, IMDG, IATA		
· Class	Not applicable	
· 14.4 Packing group		
· ADR/RID/ADN, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards:		
• Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	
		(Contd. on page 9

GB

Page 8/10



Page 9/10

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025	Version number 10	Revision: 30.01.2025
Trade name: NO MORE SCALE		

	(Contd. of page 8)
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not applicable

* SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

regulated explosi	ves precursors	
None of the ingred	ients are listed.	
· Regulated poisons	5	
None of the ingred	ients are listed.	
· Reportable explos	sives precursors	
None of the ingred	ients are listed.	
· Reportable poisor	15	
CAS: 1310-73-2 S	Sodium hydroxide	12% of total caustic alkalinity

· Control Of Major Accident Hazards Regulations 2015 (COMAH)

• Named dangerous substances - ANNEX I None of the ingredients are listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)



Page 10/10

Safety data sheet according to UK REACH (SI 2020/1577) as amended

Printing date 30.01.2025

Version number 10

Revision: 30.01.2025

Trade name: NO MORE SCALE

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Met. Corr. 1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

(Contd. of page 9)