



Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: VINYL, STONE AND TILE CLEANER
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture Cleaner and degreaser for vinyl, stone and tile surfaces
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Total Water Products

Unit 6 Seaway Parade Ind. Estate

Baglan

Port Talbot

**SA12 7BR** 

Tel: 0044 1639 823233

e-mail: info@totalwaterproducts.co.uk

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)





Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

Trade name: VINYL, STONE AND TILE CLEANER

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 160901-09-7 NLP: 500-446-0 Reg.nr.: 01-2119979533-26-XXXX	Alcohols, C9-11, branched and linear, ethoxylated  • Eye Irrit. 2, H319; Aquatic Chronic 3, H412	2.5 – < 10%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36-XXXX	2-butoxyethanol Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	2.5 – < 10%
CAS: 7320-34-5 EINECS: 230-785-7 Reg.nr.: 01-2119489369-18-XXXX	Tetrapotassium pyrophosphate  © Eye Irrit. 2, H319	1 – 2.5%
CAS: 1310-58-3 EINECS: 215-181-3 Reg.nr.: 01-2119487136-33-XXXX	Potassium hydroxide  Skin Corr. 1A, H314; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5\%$ Skin Corr. 1B; H314: $2\% \le C < 5\%$ Skin Irrit. 2; H315: $0.5\% \le C < 2\%$ Eye Irrit. 2; H319: $0.5\% \le C < 2\%$	1 – < 2%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· Information for doctor: Treat symptomatically and supportively.

(Contd. on page 3)



Page 3/11

# Safety data sheet according to UK REACH

Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

Trade name: VINYL, STONE AND TILE CLEANER

(Contd. of page 2)

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Phosphorous oxides

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

 $\cdot$  6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Handling: Do not mix with other products.

(Contd. on page 4)





Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

Trade name: VINYL, STONE AND TILE CLEANER

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Do not store in aluminium, copper, zinc containers.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

Ingredients with limit values that require monitoring at the workplace:			
111-76-2 2-butoxyethanol			
Lon	rt-term value: 246 mg/m³, 50 g-term value: 123 mg/m³, 25 BMGV		
1310-58-3	Potassium hydroxide		
WEL Sho	rt-term value: 2 mg/m <sup>3</sup>		
DNELs			
160901-09	9-7 Alcohols, C9-11, branch	ned and linear, ethoxylated	
Oral	Long-term systemic effects	3 mg/kg bw/day (general population)	
Dermal	Long-term systemic effects	150 mg/kg bw/day (general population)	
		420 mg/kg bw/day (worker)	
Inhalative	Long-term systemic effects	7.84 mg/m³ (general population)	
		44.4 mg/m³ (worker)	
111-76-2	2-butoxyethanol		
Oral	Long-term systemic effects	6.3 mg/kg bw/day (general population)	
	Short-term systemic effects	26.7 mg/kg bw/day (general population)	
Inhalative	Long-term systemic effects	59 mg/m³ (general population)	
		98 mg/m³ (worker)	
	Short-term systemic effects	426 mg/m³ (general population)	
		1,091 mg/m³ (worker)	
	Short-term local effects	147 mg/m³ (general population)	
		246 mg/m³ (worker)	
	Tetrapotassium pyrophos	•	
Inhalative	Long-term systemic effects	4.35 mg/m³ (general population)	
		17.63 mg/m³ (worker)	
	Potassium hydroxide		
	Long-term local effects	1 mg/m³ (general population)	

GB





Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

### Trade name: VINYL, STONE AND TILE CLEANER

	(Contd. of pa	
	1 mg/m³ (worker)	
PNECs		
160901-09-7 Alcohols, C9-11, branc	hed and linear, ethoxylated	
Freshwater	10.7 μg/L	
Freshwater - Intermittent releases	19.5 μg/L	
Marine water	1.07 μg/L	
Marine Water - Intermittent releases	1.95 μg/L	
Sewage Treatment Plant	10 mg/L	
Sediment (freshwater)	73.9 μg/kg	
Sediment (marine water)	7.39 µg/kg	
Soil	8.6 μg/kg	
111-76-2 2-butoxyethanol		
Freshwater	8.8 mg/L	
Freshwater - Intermittent releases	26.4 mg/L	
Marine water	880 μg/L	
Sewage Treatment Plant	463 mg/L	
Sediment (freshwater)	34.6 mg/kg	
Sediment (marine water)	3.46 mg/kg	
Soil	2.33 mg/kg	
Secondary poisoning	20 mg/kg food	
Ingredients with biological limit values:		
111-76-2 2-butoxyethanol		
MGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift		

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- $\cdot$  **Appropriate engineering controls** No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)



Page 6/11

# Safety data sheet according to UK REACH

Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

### Trade name: VINYL, STONE AND TILE CLEANER

(Contd. of page 5)

### · Hand protection



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Goggles recommended during refilling

· Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

11

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Mild

Odour threshold:
 Melting point/freezing point:
 Undetermined.

· Boiling point or initial boiling point and boiling

range 100 °C (7732-18-5 Water) • Flammability Not applicable.

· Lower and upper explosion limit

Lower:

Upper:
Flash point:
Decomposition temperature:

Not determined.
Not applicable.
Not determined.

· pH at 20 °C

· Viscosity:

· Kinematic viscosity Not determined.

(Contd. on page 7)





Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

Trade name: VINYL, STONE AND TILE CLEANER

(Contd. of page 6)

· **Dynamic:** Not determined.

 $\cdot \ Solubility$ 

water: Fully miscible.
 Partition coefficient n-octanol/water (log value)
 Not determined.

• **Vapour pressure at 20 °C:** 23 hPa (7732-18-5 Water)

· Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

• **9.2 Other information** NOTE: The physical data presented above are typical

values and should not be construed as a specification.

· Appearance:

· Form: Liquid

 $\cdot \ Important \ information \ on \ protection \ of \ health \ and$ 

environment, and on safety.

• **Ignition temperature:** Product is not self-igniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· **VOC** (**EC**) 6.00 %

 $\cdot \ Change \ in \ condition$ 

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable gases in contact with water Void

• Oxidising liquids Void

• Oxidising solids May intensify fire; oxidiser.

Organic peroxides
 Corrosive to metals
 Desensitised explosives

Void

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Do not mix with other chemical formulations in their concentrated form.

(Contd. on page 8)





Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

Trade name: VINYL, STONE AND TILE CLEANER

(Contd. of page 7)

· 10.5 Incompatible materials:

Strong acids.

Finely powdered metals.

Strong oxidising agents.

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Phosphorus oxides (e.g. P2O5)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· L	· LD/LC50 values relevant for classification:		
A	ATE (Acute Toxicity Estimates)		
C	)ral	LD50	13,152 mg/kg
It	nhalative	LC50/4 h	62.5 mg/l (ATE)

Illiaiative	LC30/4 II	02.5 mg/r (ATL)	
111-76-2 2	111-76-2 2-butoxyethanol		
Oral	LD50	1,200 mg/kg (ATE)	
Dermal	LD50	3,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	3 mg/l (ATE)	
		3 mg/l (rat)	
7320-34-5	7320-34-5 Tetrapotassium pyrophosphate		
Oral	LD50	> 2,000 mg/kg (mouse)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	
1310-58-3	1310-58-3 Potassium hydroxide		
Oral	LD50	333 mg/kg (rat)	

### · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- $\cdot \ Additional \ toxicological \ information:$

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

· 11.2 Information on other hazards

## · Endocrine disrupting properties

None of the ingredients are listed.

GB



Page 9/11

# Safety data sheet according to UK REACH

Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

Trade name: VINYL, STONE AND TILE CLEANER

(Contd. of page 8)

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

### 7320-34-5 Tetrapotassium pyrophosphate

EC50 (96 h) > 100 mg/l (Bacteria)

- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

- · 14.1 UN number or ID number
- · ADR/RID/ADN, ADN, IMDG, IATA

Not applicable

(Contd. on page 10)





Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

Trade name: VINYL, STONE AND TILE CLEANER

	(Contd. of page 9
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Not applicable
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not applicable
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Not applicable

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients are listed.

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

1310-58-3 Potassium hydroxide 17% of total caustic alkalinity

- · Directive 2012/18/EU
- $\cdot$  Named dangerous substances ANNEX I None of the ingredients are listed.
- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	4.8

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)





Printing date 05.08.2024 Version number 1 Revision: 05.08.2024

### Trade name: VINYL, STONE AND TILE CLEANER

(Contd. of page 10)

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

### · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H412 Harmful to aquatic life with long lasting effects.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

#### · Department issuing SDS: Product safety department.

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* \* Data compared to the previous version altered.

GB