(Re)Cover®

Swimming pool covers

d) **Hail Certification Class (HW):** HW5 = hailstones 5 cm, HW4 = hailstones 4 cm etc. These are shot onto the frozen slats and end caps at a speed of 110 km/h.

	Watertightness	Mechanical	Optical
Mast(eR) Solar Silver	HW4	HW4	HW3
Mast(s) Solar Blue	HW5	HW5	HW3

e) Roller diameters on a Ø 139.7 and 170 mm tube

Cover length in m.	Number of slats	Ø 139.7 in mm	Ø 170 in mm
6	100	375	390
7	117	400	420
8	133	430	435
9	150	455	465
10	167	465	480
11	183	495	510
12	200	505	525
13	217	530	550
14	233	555	570
15	250	560	580
16	267	580	595
17	283	600	615
18	300	620	635
19	317	630	650
20	333	645	660

6. Clean(eR) - Anti Algae - Profile,Solar

Clean(eR) Profile in
Polycarbonate TRI-extrusion 60 mm x 15 mm

Polycarbonate Clean(eR) - Anti Algae - Solar



PC Clean(eR)-Anti Algae Solar, Blue

with blue/transparent or black end-caps.

PC Clean(eR)-Anti Algae Solar, Transparent

with blue/transparent or black end-caps.



PC Clean(eR)-Anti Algae Solar, Silver

with blue/transparent or black end-caps.



PC Clean(eR)-Anti Algae Solar, Green

with blue/transparent or black end-caps.



Black end-caps come with black sealant.

d) **Hail Certification Class (HW)**: HW5 = hailstones 5 cm, HW4 = hailstones 4 cm etc. Shot onto the frozen slats and end caps at 110 km/h.

	Watertightness	Mechanical	Optical
Clean(eR) Solar Blauw	HW4	HW5	HW3

e) Roller diameters on a Ø 139.7 and 170 mm tube

Cover length in m.	Number of slats	Ø 139.7 in mm	Ø 170 in mm
6	100	405	420
7	117	435	445
8	133	455	470
9	150	485	495
10	167	505	515
11	183	530	530
12	200	545	560
13	217	565	580
14	233	590	600
15	250	605	610
16	267	625	640
17	283	635	655
18	300	655	675
19	317	670	695
20	333	690	705

7. PVC - Start(eR) Profile

Start(eR) PVC Profile
60 mm x 14 mm

PVC, White

with PVC white end-caps.



PVC, Grey

with PVC grey end-caps.

8. Accessories

	Article number	Description
	00.60.14	Starting kit 6 (Including spoiler brackets + fastening straps)
	00.60.16	Starting kit 4 or 6 (Including spoiler brackets + fastening straps)
	01.60.12	Anti-slip brackets (set of 2 pieces)
	01.60.21	Spoiler bracket set universal
	01.00.14	Fastening strap 1500 / 2500 mm per piece
	**01.00.13**	Fastening strap with loop 1500 / 2500 mm per piece
	**01.00.10**	Overflow set of 2

Manuals per product available on request.

9. Packaging

All slats are packed in individual cardboard (bundle) boxes.
BasiC PVC or Mast(eR) Polycarbonate Slats:
One (bundle) box will fit 18 slats (1.08 m).

Clean(eR) Polycarbonate Anti Algae slats:
One (bundle) box will fit 15 slats (0.9 m).

The bundle packages are packed in a large box, reinforced with wood.

Fully recyclable and no packaging service required.
Boxes are stackable and ideal for transport.

Box Size:
Length: slat length + approx. 40 cm.
Width: 50 cm, height 90 cm

10. Warranty conditions

Warranty conditions

Master & Cleaner Polycarbonate, TRI-Extrusion	:	**5-year warranty**
Starter PVC, Mono-Extrusion	:	**3-year warranty**

No guarantee is given for defects that are the result of:

- Normal wear or ageing
- Maintenance not carried out or carried out incorrectly
- Storm and hail damage
- Discolouration of slats due to foliage/branches
- Improper and injudicious use
- Defects of other, incorrect installation

Condensation in a slat cannot be prevented.

No plastic is vapour-tight.

Condensation is caused by the temperature differences between the pool water, the air and the air in the slat.

(Re)Cover gives a full guarantee for the functioning of the products during the guarantee period and will make the choice whether:

- The defect is repaired
- The cover is fully or partially replaced
- The invoice is credited proportionally

Claims should preferably be reported by e-mail, accompanied by the order number, description of the complaint and photo material.



(Re)Cover®

Swimming pool covers

UK Contact:
Victoria Plompen-Philip
07710016843
victoria@vppventuress.com

Production:
Elzenweg 27, 5144 MB Waalwijk, www.recoverpools.com