



PORCELAIN COLLECTION 2026

Contents

4	About Us		
6	EXTERNAL PORCELAIN	52	INTERNAL & DECORATIVE TILES
8	Sirmione	54	Morenci
9	Lonato Grey	56	Qin
10	Rockford Quartz	57	Selby
11	Carbis Sands	58	Kula Cross Cut
12	Bruges Beige & Ghent Grey	59	Cristallo
13	Loretto Buff	60	Kos
14	Sorrento	61	Lombok
16	Bolzano	62	Mochi
17	Rialto	64	Grafton
18	Dijon Grey	66	Geo Bars
19	Dijon Pearl	68	Moments Proto
20	Compton Grey	70	Moments Proto 2
21	Canford Cream		
22	Wilton Beige	72	BESPOKE
23	Sarum Grey	74	Bespoke Grille Options
24	Namur	75	Stair Cases & Steps
		76	Site Template Service
26	INTERNAL & EXTERNAL PORCELAIN		
28	Cadiz Beige	78	TECHNICAL INFORMATION
30	Jurassic	78	Technical Coping Diagrams
32	Concrete	79	Laying Guidelines
33	Travertine Vein	82	Cleaning & Maintenance
35	Travertine Cross	83	Preparation & Fixing
36	Wychwood		
37	Roach		
38	Quartzite		
40	Dunes		
42	Bavarian		
43	Critchell		
44	Algarve		
45	Esna		
46	Riviera		
47	Elements		
48	Nolton		
49	Alba		
50	Exagnes Ardenas		



Bavarian Roth Pearl

CRANBOURNE STONE

Specialists in providing high quality porcelain & ceramic products



Cranbourne Stone began with our Managing Director, Howard, who entered the swimming pool industry at 17 and soon recognised the need for higher-quality pool surrounds. With more than 35 years of experience and with the support of his wife Jo, whose expertise spans decades, Cranbourne Stone Ltd was founded.

Over the past 20 years, we've grown from producing precast concrete copings to offering bespoke cutting, profiling and supplying an extensive range of stone and porcelain sourced from over ten countries.



Now entering our second generation, Cranbourne Stone is being carried forward by our daughter Loren, supported by our loyal, long-standing team who truly feel like one big family.

With fresh ideas and exciting ventures ahead, we're continually expanding our product offering — not only for swimming pool surrounds but for all types of landscaping and internal projects.

What started as a family venture continues to be driven by craftsmanship, innovation and a shared commitment to exceptional quality.



Porcelain

Porcelain tiles are made from a mix of natural clay and finely ground sand, which is then pressed and fired at a very high temperature. Each design is baked onto the body of the surface of the tile, to create neutral looking tiles, which are durable, resistant to moss and mould, and easy to keep clean.

PORCELAIN

Sirmione

A warm beige limestone-look porcelain with soft natural variation and an R11 grip textured finish, creating a timeless, elegant surface ideal for stylish outdoor and poolside spaces.



- RECOMMENDED FOR
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm 600 x 600 x 20mm
Step Treads	600 x 600 x 20mm Pencil Edge
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 132.



PORCELAIN

Lonato Grey

A soft grey limestone-look porcelain with gentle natural variation and an R11 grip textured finish, delivering a timeless, elegant surface ideal for stylish outdoor and poolside spaces.




- RECOMMENDED FOR
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 600 x 600 x 20mm
Step Treads	600 x 600 x 20mm Pencil Edge
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 112.



PORCELAIN

Rockford Quartz

Rockord Quartz Porcelain features soft grey tones with subtle quartzite-style veining, delivering a refined, contemporary look that combines natural elegance with durable, low-maintenance performance.



RECOMMENDED FOR
External
Paving
Step Treads
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

NOTES
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
We recommend Mapei grout 113.



PORCELAIN

Carbis Sands


This cream-beige marble-effect porcelain tile features soft flowing veining and warm natural tones, creating an elegant, stone-inspired finish that's durable, low-maintenance, and ideal for stylish outdoor living spaces.



RECOMMENDED FOR
External
Paving
Step Treads
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip


NOTES
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
We recommend Mapei grout 132.



PORCELAIN

Bruges Beige & Ghent Grey

This mottled stone-effect porcelain tile features soft movement and subtle tonal variation for a refined, natural look. Available in **Ghent Grey**, with cool grey hues, and **Bruges Beige**, offering the same pattern in warm biscuit tones—ideal for elegant outdoor and poolside settings.




- RECOMMENDED FOR
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm 600 x 600 x 20mm
Step Treads	600 x 600 x 20mm Pencil Edge
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 113 for Ghent Grey and 188 for Bruges Beige.



Scan for more information

PORCELAIN

Loretto Buff

This porcelain tile authentically replicates the look of traditional riven York stone, with soft buff tones and gentle surface texture, while offering the durability, consistency, and low maintenance benefits of modern porcelain.




- RECOMMENDED FOR
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 132.



Scan for more information



PORCELAIN

Sorrento

This light beige-grey stone-effect porcelain tile captures the character of traditional riven flagstone, with subtle texture and natural variation, while offering the durability, easy care, and low-maintenance benefits of modern porcelain.



RECOMMENDED FOR

External

Paving
Step Treads
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding

OPTION	FORMAT	NOTES
Tiles	R11 Grip Finish 900 x 600 x 20mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings. We recommend Mapei grout 112.
Step Treads	900 x 600 x 20mm Pencil Edge	
Coping	900 x 298 x 20mm Bullnosed Edge	
	900 x 298 x 20/50mm Bonded Over-Lip	



Scan for more information

PORCELAIN

Bolzano

This black slate-effect porcelain tile features rich charcoal tones and subtle layered texture, recreating the natural depth of slate while offering a durable, low-maintenance surface ideal for contemporary outdoor spaces.




- RECOMMENDED FOR
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 114.



Scan for more information

PORCELAIN

Rialto

This porcelain tile range features a contemporary stone effect with subtle layered slate characteristics and gentle tonal variation. Available in a light grey known as **Rialto Grigio**, and soft off-white **Rialto Crema**.



- RECOMMENDED FOR
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding




OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 103 for Crema and 112 for Grigio.



Scan for more information

PORCELAIN

Dijon Grey

This grey stone-effect porcelain tile faithfully recreates the look of our well-known Egyptian Fossil Limestone, with soft fossil detailing, gentle tonal variation, and natural calcite veining that mirrors the character of the original stone.



RECOMMENDED FOR

External

Paving
Step Treads
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 112.



PORCELAIN

Dijon Pearl

This porcelain tile replicates our famously known Fossil Pearl Limestone, showcasing soft fossil detailing and natural calcite veining that echo's the distinctive character and elegance of the original stone.



RECOMMENDED FOR

External

Paving
Step Treads
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 132.



PORCELAIN

Compton Grey

A luxury pale grey porcelain with a refined marble-inspired look, featuring soft natural veining for a contemporary finish.




- RECOMMENDED FOR
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	900 x 600 x 20mm
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip
Step Tread	900 x 600 x 20mm Pencil Edge

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 113.



Scan for more information

PORCELAIN

Canford Cream

A beautifully soft light cream paving tile with a gentle mottled grain and subtle tonal movement, creating a warm, timeless look. Perfect for brightening patios and pool surrounds with effortless, natural elegance.




- RECOMMENDED FOR
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip
Step Tread	900 x 600 x 20mm Pencil Edge

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 123.



Scan for more information

PORCELAIN

Wilton Beige

Modern and timeless, this neutral beige concrete effect delivers a sleek outdoor look with minimal upkeep. Pair it with the Warm Decorative Décor Tile for a striking contrast that frames your patio beautifully and adds premium style.



Warm Décor Tile

- RECOMMENDED FOR**
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 600 x 600 x 20mm 600 x 600 x 20mm décor 1000 x 1000 x 20mm
Step Treads	600 x 600 x 20mm Pencil Edge
Coping	1000 x 498 x 20mm Bullnosed Edge 1000 x 498 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.


We recommend Mapei grout 132.

Scan for more information

PORCELAIN

Sarum Grey

Modern and timeless, this grey concrete effect delivers a sleek outdoor look with minimal upkeep. Pair it with the Dark decorative Décor Tile for a striking contrast that frames your patio beautifully and adds premium style.



Dark Décor Tile

- RECOMMENDED FOR**
- External
 - Paving
 - Step Treads
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 600 x 600 x 20mm 600 x 600 x 20mm décor 1000 x 1000 x 20mm
Step Treads	600 x 600 x 20mm Pencil Edge
Coping	1000 x 498 x 20mm Bullnosed Edge 1000 x 498 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 112.


Scan for more information



PORCELAIN

Namur

The Namur range is inspired by Belgian Blue stone, featuring subtle white fossil markings. **Namur Dark** offers a rich anthracite tone, while **Namur Light** has a softer ash grey finish – and they can be paired together for striking contrast detailing.



- RECOMMENDED FOR
- External
 - Deck Level Grilles
 - Internal Flooring
 - Paving & Steps
 - Pool Copings
 - Pool Surrounds
 - Wall Capping
 - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 600 x 600 x 20mm
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip
Step Tread	600 x 600 x 20mm Pencil Edge

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 112 for Light and 114 for Dark.





Internal & External Porcelain



PORCELAIN

Cadiz Beige

Inspired by Jerusalem stone from Israel, this porcelain tile replicates fossil-rich limestone in a warm golden tone, delivering timeless character with durable, low-maintenance performance.



RECOMMENDED FOR

Internal
External

Internal Flooring
Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Pool Tank Tiles



OPTION	FORMAT
Tiles	R11 Grip Finish
	906 x 604 x 20mm
	R10 Honed or R11 Grip Finish
	906 x 604 x 9mm
Step Treads	604 x 604 x 9mm
Coping	906 x 604 x 20mm Pencil Edge
	906 x 300 x 20mm Bullnosed Edge
	900 x 300 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 123.




Scan for more information



PORCELAIN

Jurassic

Inspired by fossilised Portuguese limestone, this porcelain range captures natural texture and subtle fossil detail. Available in **Portland Cream**, **Studland Beige**, and **Bridport Grey**, it offers a timeless elegant look.



RECOMMENDED FOR

Internal
External

Internal Flooring
Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Skirting Tiles
Pool Tank Tiles

OPTION

Tiles

FORMAT

R11 Grip Finish
900 x 600 x 20mm
R10 Honed or R11 Grip Finish
900 x 600 x 10mm
600 x 600 x 10mm
R10 Honed Finish
600 x 300 x 10mm

Step Treads

Coping

900 x 600 x 20mm Pencil Edge
900 x 298 x 20mm Bullnosed Edge
900 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
We recommend Mapei grout 103 for Portland, 132 for Studland and 113 for Bridport.



PORCELAIN

Concrete

A sleek polished concrete-effect porcelain range, with subtle natural speckling for an authentic contemporary finish. Available in 3 colours, **White, Beige and Grey.**



RECOMMENDED FOR

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish
	1200 x 600 x 20mm
	1000 x 1000 x 20mm
	600 x 600 x 20mm
	R10 Honed
	1200 x 600 x 10mm
	1000 x 1000 x 10mm
	600 x 300 x 10mm
Coping	600 x 298 x 20mm Bullnosed Edge
	600 x 298 x 20/50mm Bonded Over-Lip
Step Tread	600 x 600 x 20mm Pencil Edge

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout:
132 for Beige
112 for Grey
123 for White



PORCELAIN

Travertine Vein

This porcelain range recreates the refined look of vein-cut travertine, with elegant linear veining and natural stone character. Available in **Bianco, Ivory, Beige, Greige** it combines timeless style with durable, low-maintenance porcelain.



RECOMMENDED FOR

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish
	1200 x 600 x 20mm
	900 x 600 x 20mm
	R10 Honed
	1200 x 600 x 10mm
	900 x 600 x 10mm
	600 x 300 x 10mm
	1200 x 600 x 20mm Pencil Edge
Step Treads	1200 x 298 x 20mm Bullnosed Edge
Coping	1200 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout:
103 for Bianco
123 for Beige
112 for Greige
123 for Ivory





Ivory



Greige



Beige

PORCELAIN

Travertine Cross

This porcelain tile range replicates the authentic look of cross-cut travertine, showcasing natural movement and classic stone character. Available in Bianco, Ivory Beige, and Greige.



Bianco



RECOMMENDED FOR

Internal
External

Internal Flooring
Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Skirting Tiles
Pool Tank Tiles

OPTION
Tiles

FORMAT

R11 Grip Finish
1000 x 1000 x 20mm
1200 x 600 x 20mm
900 x 600 x 20mm
600 x 600 x 20mm
R10 Honed or R11 Grip Finish
1000 x 1000 x 10mm
900 x 600 x 10mm
R10 Honed Finish
1200 x 600 x 10mm
600 x 600 x 10mm
600 x 300 x 10mm

Step Treads
Coping

1200 x 600 x 20mm Pencil Edge
1200 x 298 x 20mm Bullnosed Edge
1200 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
We recommend Mapei grout:
103 for Bianco
123 for Beige
112 for Greige
123 for Ivory



Scan for more
information

PORCELAIN

Wychwood



RECOMMENDED FOR

Internal
External

Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Skirting Tiles
Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish 600 x 600 x 20mm
	R10 Honed or R11 Grip Finish 1200 x 600 x 9mm 600 x 600 x 9mm 600 x 300 x 9mm
	R10 Honed Finish 900 x 900 x 9mm
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip
Step Treads	600 x 600 x 20mm Pencil Edge

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 132 for Bratton, 113 for Heddington, 123 for Lavington and Woodborough, and 112 for Westbury.



PORCELAIN

Roach

This porcelain tile collection is designed to replicate traditional English Portland limestone, featuring its dense fossilised characteristics in both the **Pearl** and **Grey** colour.



RECOMMENDED FOR

Internal
External


Internal Flooring
Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Skirting Tiles
Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish 1200 x 600 x 20mm 1200 x 1200 x 9mm décor 1200 x 600 x 9mm décor
	R10 Honed or R11 Grip Finish 1200 x 600 x 9mm 600 x 600 x 9mm 600 x 300 x 9mm
	R10 Honed Finish 1200 x 1200 x 9mm
Step Treads	1200 x 600 x 20mm Pencil Edge
Coping	1200 x 298 x 20mm Bullnosed Edge 1200 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 123 for Pearl and 112 for Grey.






PORCELAIN

Quartzite

This porcelain tile collection is inspired by quartz-veined stone, featuring refined movement and elegant veining, offering versatile performance for internal spaces, external projects, and pool tank applications.



- RECOMMENDED FOR**
- Internal
 - External
 - Internal Flooring
 - Paving
 - Steps
 - Pool Copings
 - Deck Level Grilles
 - Wall Capping
 - Wall Cladding
 - Skirting Tiles
 - Pool Tank Tiles



OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
	R10 Honed or R11 Grip Finish 1200 x 600 x 10mm 600 x 600 x 10mm 600 x 300 x 10mm
	R10 Honed Finish 900 x 450 x 10mm
	Step Treads 900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge
	900 x 298 x 20/50mm Bonded Over-Lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

Bossington Beige available in 10mm only.

We recommend Mapei grout 132 for Bossington Beige, 123 for Cottonworth Ivory, 114 for Crawley Black, 112 for Houghton Grey and 113 for Meon Quartz.



Scan for more information



Waterford Cream



Caulfield Green Pool Tank Tiles



Waterford Cream

PORCELAIN

Dunes

This porcelain tile collection takes its inspiration from Burlington, the renowned English stone known for its distinctive blue-green tones, capturing its layered character with the durability and low-maintenance benefits of porcelain. Offering versatile performance for internal spaces, external projects and pool tank tiles.




Moonlight Grey



RECOMMENDED FOR
Internal & External
Internal Flooring, Paving, Steps,
Pool Copings, Deck Level Grilles,
Wall Capping & Cladding,
Skirting Tiles, Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
	R10 Honed or R11 Grip Finish 1200 x 600 x 10mm
	600 x 300 x 10mm
	900 x 150 décor
	R10 Honed Finish 900 x 450 x 10mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge
	900 x 298 x 20/50mm Bonded Over-Lip

NOTES
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
We recommend Mapei grout:
113 for Caulfield, 113 for Mallow,
112 for Moonlight, 188 for Waterford
Mallow Dark only available in 10mm.



Scan for more
information

PORCELAIN

Bavarian

This porcelain tile range is designed to replicate the look of Jura limestone, featuring pronounced fossil markings and enhanced natural detail, delivering bold stone character with durable, low-maintenance porcelain performance.



RECOMMENDED FOR

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

PORCELAIN

Critchell


Inspired by traditional natural stone flagstones, capturing a rustic appearance with textured surfaces and natural tonal variation. Available in three colours, **Cashmoore**, **Charlbury** and **Hinton**.




RECOMMENDED FOR

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	R11 Grip Finish 1200 x 600 x 20mm 600 x 600 x 20mm R10 Honed Finish 1200 x 1200 x 10mm 1200 x 600 x 10mm 600 x 600 x 10mm 600 x 300 x 10mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings. We recommend Mapei grout 112 for Hayes Grey, 132 for Ottobrunn Beige and 123 for Roth Pearl.
Step Treads	1200 x 600 x 20mm Pencil Edge	
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip	



OPTION	FORMAT	NOTES
Tiles	R11 Grip Finish 906 x 604 x 20mm R10 Honed or R11 Grip Finish 906 x 604 x 9mm 610 x 408 x 10mm Modular x 10mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
Step Treads	906 x 604 x 20mm Pencil Edge	We recommend Mapei grout 188 for Cashmoore, 132 for Charlbury and 112 for Hinton.
Coping	906 x 300 x 20mm Bullnosed Edge 906 x 300 x 20/50mm Bonded Over-Lip	



PORCELAIN

Algarve


This porcelain tile range is inspired by minimalist French limestone, featuring soft tones and a clean, refined aesthetic that delivers understated elegance. Available in 4 colourways.



RECOMMENDED FOR
Internal & External
Internal Flooring
Paving & Steps
Pool Copings
Deck Level Grilles
Wall Capping & Cladding
Skirting & Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish 906 x 906 x 20mm 906 x 604 x 20mm
	R10 Honed or R11 Grip Finish 906 x 906 x 10mm 906 x 604 x 10mm Modula x 10mm
Step Treads	906 x 604 x 20mm Pencil Edge
Coping	906 x 300 x 20mm Bullnosed Edge 906 x 300 x 20/50mm Bonded Over-Lip


NOTES
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
We recommend Mapei grout:
123 for Alvor
113 for Escuro
123 for Gordo
188 for Luze



PORCELAIN

Esna


This porcelain tile range is inspired by the well-known Egyptian Fossil Limestone, showcasing detailed, prominent fossil markings. Low maintenance yet advanced in design, it is available with a tumbled edge to replicate the real natural stone.



RECOMMENDED FOR
Internal & External
Internal Flooring, Paving & Steps,
Pool Copings, Deck Level Grilles,
Wall Capping & Cladding,
Skirting Tiles, Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish 1000 x 1000 x 20mm 900 x 600 x 20mm*
	R10 Honed Finish 1200 x 600 x 10mm 900 x 600 x 10mm* 600 x 600 x 10mm
Step Treads	Décor 600 x 300 x 10mm 1200 x 600 x 10mm
	1200 x 600 x 20mm Pencil Edge
	1200 x 298 x 20mm Bullnosed Edge
	1200 x 298 x 20/50mm Bonded Over-Lip
Coping	

NOTES
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
* Also available in Tumbled Edge Finish
We recommend Mapei grout 103 for Crema and 123 for Natural.



PORCELAIN

Riviera

This porcelain tile range is inspired by natural tumbled travertine, capturing soft edges and sun-washed character for a warm Mediterranean look. Available in soft ivory **Toulon** and warmer honey tones **Bordeaux**.



Toulon Flooring and Décor Wall Tiles




Bordeaux

RECOMMENDED FOR
Internal & External
Internal Flooring, Paving & Steps,
Pool Copings, Deck Level Grilles,
Wall Capping & Cladding,
Skirting Tiles, Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
	R10 Honed or R11 Grip Finish 900 x 600 x 10mm 600 x 600 x 10mm 600 x 300 x 10mm
	R10 Honed Finish 900 x 900 x 10mm
	Décor Tiles 300 x 75 x 10mm
	906 x 604 x 20mm Pencil Edge
Step Treads	906 x 300 x 20mm Bullnosed Edge
Coping	906 x 300 x 20/50mm Bonded Over-Lip

NOTES
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
We recommend Mapei grout 132 for Bordeaux and 123 for Toulon.



Scan for more information


PORCELAIN

Elements

The Elements Porcelain range is inspired by traditional French limestone with a modern twist, combining clean stone aesthetics with textured decorative surfaces, making it ideal for both floors and striking feature walls.



Crema



RECOMMENDED FOR
Internal
External
Internal Flooring
Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Skirting Tiles
Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish 1000 x 1000 x 20mm 1200 x 600 x 20mm 900 x 600 x 20mm*
	R10 Honed Finish 1000 x 1000 x 10mm 1200 x 600 x 10mm 900 x 600 x 10mm* 608 x 316 x 10mm
	1200 x 600 x 20mm Pencil Edge
	1200 x 298 x 20mm Bullnosed Edge
	1200 x 298 x 20/50mm Bonded Over-lip
Step Treads	
Coping	

NOTES
Traditional Walling available.
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
*Also available in Tumbled Edge
We recommend Mapei grout 123 for Crema and 112 for Natural.



Scan for more information

PORCELAIN

Nolton

This slate-inspired porcelain tile range features detailed natural markings and rich texture, available in three colours. Suitable for internal and external projects, it is ideal for flooring, walling, and pool tank applications.



- RECOMMENDED FOR
- Internal
External
- Internal Flooring
Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Skirting Tiles
Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish
	1000 x 1000 x 20mm
	900 x 600 x 20mm
	R10 Honed Finish
	1000 x 1000 x 10mm
Step Treads	1200 x 600 x 10mm
	608 x 316 x 10mm
	600 x 600 x 10mm
	900 x 600 x 20mm Pencil Edge
	900 x 298 x 20mm Bullnosed Edge
Coping	900 x 298 x 20/50mm Bonded Over-lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 112 for Ocean, 132 for Sand and 123 for Shell.



Scan for more information

PORCELAIN

Alba

Alba is slate-inspired porcelain range that offers a softer, more refined layered appearance, with gentle tonal variation and understated texture, delivering a contemporary stone look.



- RECOMMENDED FOR
- Internal
External
- Internal Flooring
Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Skirting Tiles
Pool Tank Tiles

OPTION	FORMAT
Tiles	R11 Grip Finish
	900 x 600 x 20mm
	1000 x 1000 x 20mm
	R10 Honed Finish
	1200 x 600 x 10mm
Step Treads	1000 x 1000 x 10mm
	608 x 316 x 10mm
	600 x 600 x 10mm*
	900 x 600 x 20mm Pencil Edge
	900 x 298 x 20mm Bullnosed Edge
Coping	900 x 298 x 20/50mm Bonded Over-lip

NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 123 for Cream and 103 for Light.

*Also available in Tumbled Edge




Scan for more information



EXTRUDED PORCELAIN

Exagres Ardenas

Extruded Porcelain unlike traditional printed Porcelain is formed by pushing a clay mixture through a die, which creates a continuous shape and print on the surface of the tile and edges. This material can give the appearance of a natural stone when used as a coping, due to the print being visible on the edge profile as well as the top surface of the tile.



RECOMMENDED FOR

Internal
External

Internal Flooring
Paving
Steps
Pool Copings
Deck Level Grilles
Wall Capping
Wall Cladding
Skirting Tiles
Pool Tank Tiles

OPTION

Tiles

FORMAT

R11 Grip Finish
1200 x 600 x 20mm
R11 Grip or R10 Honed Finish
1200 x 600 x 9mm
1200 x 1200 x 11mm
665 x 330 x 10mm

NOTES

Please note batches will vary in colour, shade, texture and markings.
We recommend Mapei grout:
114 for Anthracite, 112 for Cromo,
112 for Gris, 123 for Marfil

Coping

750 x 450 x 30mm Extruded Bullhosed
1200 x 330 x 11/30mm Extruded Over-Lip



Scan for more information



Internal & Decorative Tiles



Taupe




Iron & White



Blue

PORCELAIN

Morenci




Green & Taupe

RECOMMENDED FOR
Internal
 Wall Cladding
 Pool Tank Tiles

OPTION
 Tiles

FORMAT
 1200 x 600 x 10mm Silk
 600 x 300 x 10mm Silk

NOTES
 Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.




PORCELAIN

Qin



RECOMMENDED FOR
Internal
Internal Flooring
Wall Cladding
Pool Tank Tiles
Skirting Tiles

OPTION	FORMAT	NOTES
Tiles	R10 Honed or R11 Grip Finish 900 x 900 x 10mm 1200 x 600 x 10mm 600 x 600 x 10mm 900 x 450 x 10mm 600 x 300 x 10mm 200 x 200 x 10mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.




PORCELAIN

Selby



RECOMMENDED FOR
Internal
Internal Flooring
Wall Capping
Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	R10 Honed or R11 Grip Finish 440 x 440 x 10mm 440 x 220 x 10mm 220 x 220 x 10mm 220 x 110 x 10mm 110 x 110 x 10mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



PORCELAIN

Kula Cross Cut



RECOMMENDED FOR

Internal

Internal Flooring
Internal Walling
Pool Tank Tiles

OPTION

Tiles

FORMAT

R10 Honed or R11 Grip Finish
440 x 440 x 10mm
440 x 220 x 10mm
375 x 46 x 10mm
110 x 110 x 10mm
150 x 50 x 10mm

NOTES





Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information

PORCELAIN

Cristallo



RECOMMENDED FOR

Internal

Internal Flooring
Internal Walling
Pool Tank Tiles

OPTION

Tiles

FORMAT

120 x 120 x 10mm Matt
120 x 120 x 10mm Carved

NOTES



Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information


PORCELAIN

Kos



RECOMMENDED FOR
Internal
Internal Flooring
Internal Walling


OPTION	FORMAT	NOTES
Tiles	255 x 255 x 10mm Matt	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information

PORCELAIN

Lombok



RECOMMENDED FOR
Internal
Internal Flooring
Wall Capping
Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	R11 Grip or R10 Honed Finish 110 x 110 x 10mm 220 x 110 x 10mm 110 x 110 x 10mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information



Turques




Teal

PORCELAIN

Mochi



Olive



RECOMMENDED FOR
Internal
Wall Cladding

OPTION
Tiles

FORMAT
116 x 116 x 10mm Porcelain Body
125 x 250 x 10mm White Body Matt
125 x 250 x 10mm White Body Gloss

NOTES
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.



Scan for more information



Agave



Wine

PORCELAIN


Grafton

RECOMMENDED
FOR

Internal
Internal Walling



Fossil



Azure

OPTION


Tiles

FORMAT

250 x 50 x 10mm gloss
250 x 125 x 10mm gloss
250 x 11 x 10mm Rounded Edge Gloss

NOTES

This material is perfect for creating stunning feature walls in kitchens, bathrooms, and pool rooms. Its vibrant colours add lively accents and instantly brighten any space, transforming ordinary walls into eye-catching focal points.






PORCELAIN

Geo Bars


RECOMMENDED
FOR
Internal
Internal Walling




Deep White



Earth




Ebony




Fern




Greige




Mineral Grey



Peacock Blue



Royal Green



Talc

OPTION
Tiles

FORMAT
150 x 259 x 10mm
150 x 259 x 10mm

NOTES
This material is perfect for creating stunning feature walls in kitchens, bathrooms, and pool rooms. Its vibrant colours add lively accents and instantly brighten any space, transforming ordinary walls into eye-catching focal points.



Scan for more information



River Plus



Meadow Plus



Meadow

PORCELAIN

Moments Proto



RECOMMENDED
FOR
Internal
Wall Cladding
Internal Flooring



Bianco




Meadow




Meadow Plus



Mono



River




River Plus

OPTION
Tiles

FORMAT
280 x 280 x 10mm Matt

NOTES
These tiles are perfect for bathrooms, kitchens, utility rooms, and decorative feature areas—bringing a touch of modern charm with a classic patterned twist. Please note colour textures and markings will vary.



Scan for more
information



Meadow




Mono Plus



Mono

PORCELAIN

Moments Proto 2




RECOMMENDED FOR
Internal
 Wall Cladding, Flooring

OPTION
 Tiles


FORMAT
 280 x 280 x 10mm Matt

NOTES
 These tiles are perfect for bathrooms, kitchens, utility rooms, and decorative feature areas—bringing a touch of modern charm with a classic patterned twist. Please note colour textures and markings will vary.



Bespoke

We've invested heavily over the years in state-of-the-art machinery. What began with a single 5-axis bridge saw has grown into a fully equipped factory with two waterjets, three edge polishers, a porcelain dual cutter, a sanding booth and specialist hand-profiling equipment. We also operate our own recycling centre, complete with a stone crusher, tumbling machine and full water-recycling plant.




With this blend of advanced technology and expert craftsmanship, we can bring virtually any design to life — and often even more than clients imagine.

Bespoke Grille Options

2 SLOT MONO GRILLE

The 2 Slot Mono Grille is a one-piece grille system with a removable grille section, offering the visual appearance of a three-piece module while providing the strength and stability of an integrated under-frame and a unique anti-rocking grille design. As a one-piece unit, it is significantly easier to install, allowing the grille to be laid as a single module rather than requiring the individual levelling of the Coping, Grille and Outlane stone.

This creates a refined, practical, and robust solution for both indoor and outdoor deck-level pools.



LINEAR GRID GRILLE – PORCELAIN

The Linear Grid Grille is a contemporary porcelain alternative to traditional Astral and Certikin plastic grilles, offering a clean, modern aesthetic. Manufactured from 20mm thick porcelain, it can be supplied as a standalone porcelain grille or, where additional structural support is required, reinforced with a stainless-steel backing.

Available in our full range of 20mm grip porcelain finishes, the grille can seamlessly match or complement any surrounding porcelain surface.



Both the Mono Grille and Linear Lid Grille are manufactured to order in-house and are available across our full range of 20mm grip porcelain finishes.

Stair Cases & Steps



Site Template Service

Our Site Template Service is designed to remove guesswork from complex installations. Using our extensive building knowledge and the latest digital technology, we deliver components that fit perfectly — even in the most challenging environments.


We attend site with our advanced digital laser measuring equipment to capture precise measurements of freeform swimming pools, irregular walling, and other non-standard shapes. This technology allows us to accurately record complex curves, angles, and variations that traditional measuring methods simply can't achieve.

The captured data is then taken back to our office, where it is converted into a detailed CAD drawing. This drawing forms the exact cutting path for our state-of-the-art waterjet cutting machine, ensuring every piece is cut with exceptional accuracy to suit its specific application.




Before cutting begins, a full drawing is sent to you for approval, giving complete confidence that everything is correct. Once approved, each component is precision-cut, carefully numbered, and prepared for dispatch.

Your order is delivered with a detailed numbered layout plan, allowing every piece to fit together seamlessly — just like a puzzle — for faster installation, reduced waste, and a flawless finished result.




Technical Coping Diagrams


BULLNOSE COPING




BULLNOSE GRADINO COPING




PENCIL EDGE COPING




DROP EDGE COPING




INSPECTION COVERS




INTERNAL CORNER MITRED






INTERNAL CORNER 6" RADIUS 50P




MODULA PACK LAYING PATTERN




Technical Coping Diagrams



4ft Roman End Bay
(Country Leisure 10ft Roman End Bay)




5ft Low Profile Roman End Bay
(Country Leisure 12ft Roan End Bay)




5ft Roman End Bay
*Finished wall to wall measurements

Laying Guidelines

Coping installation for tiled or liner pool



Coping installation for a fibreglass one peice pool



Laying Guidelines - External

The following guidance is provided by Cranbourne Stone for general information purposes only.

GENERAL PREPARATION

All porcelain paving should be solid bedded to ensure full support across the entire slab. Spot bedding or dot-and-dab methods should be avoided, as they may lead to staining, reduced performance, or failure. Bedding depths, falls, and construction details may vary depending on application, ground conditions, and load requirements. Installers must always follow current British Standards, manufacturer recommendations, and recognised codes of practice.

CUTTING & LEVELLING

Tiles should be cut using a suitable diamond blade, ideally with water cooling. Tiles should be levelled and may be gently tapped into place using a rubber mallet.

SUBSTRATE PREPARATION & INSTALLATION METHODS

External porcelain paving may be installed using one of the following methods, depending on site conditions and project requirements:

Option 1 - Screed-Based Installation

Where external works continue from internal tiling, a structural concrete screed should be installed in accordance with current standards and formed with appropriate falls for drainage. Tiles may then be fixed using a flexible, exterior-grade thick-bed tile adhesive. Expansion joints should be incorporated in line with current standards and filled with a suitable exterior-grade sealant.

Option 2 - Traditional Slab Installation

For slab style installations 100/150mm well compacted hard core or MOT type 1 stone should be laid to suit ground conditions and anticipated loads. Falls should be formed to allow efficient drainage. The slabs should have a porcelain primer applied to the back of the slab and whilst still wet, laid on a full mortar bed, typically 30-50mm thick using a suitable sand and cement mix in accordance with relevant standards.

IMPORTANT NOTE

Cranbourne Stone supplies materials only and accepts no responsibility or liability for the installation, laying, or workmanship of any paving products. All installation works must be carried out by a qualified and competent installer, and responsibility for correct preparation, installation, and compliance with all relevant standards rests solely with the installer and/or contractor.

Laying Guidelines - Internal

(Including Underfloor Heating)

All tiles must be installed on a sound, flat, and stable substrate using a full adhesive bed; spot fixing or dot-and-dab methods should not be used. Substrate preparation, adhesive selection, bed depths, and joint widths will vary depending on site conditions, and installers must always follow current British Standards, manufacturer instructions, and recognised codes of practice.

Tiles should be cut using a suitable diamond blade, ideally water-cooled. Thin tiles should be levelled by hand, with thicker tiles adjusted using a rubber mallet if required.

Tiles may be installed onto a fully cured concrete screed using a flexible, cement-based adhesive, or onto timber or boarded floors where a suitable tile backer board or uncoupling membrane has been correctly installed. Movement joints must be incorporated in accordance with current standards and at changes of plane.

UNDERFLOOR HEATING

Underfloor heating systems must be fully installed, tested, and switched off prior to tiling. Only flexible adhesives and grouts suitable for use with underfloor heating should be used. Heating should be recommissioned gradually after installation in accordance with the system manufacturer's guidance.

IMPORTANT NOTE

Cranbourne Stone supplies materials only and accepts no responsibility or liability for installation or workmanship. All tiling must be carried out by a qualified and competent installer, who is responsible for correct preparation, installation, and compliance with all relevant standards.

Cleaning & Maintenance

STEP 1 PRE-GROUT PROTECTION



A water based pre-grout treatment. Protects surfaces against staining from cement, grout, jointing material and organic matter. For use on all types of textured porcelain tiles surfaces. Helps with grout and jointing compound release. A further coat can be applied after grouting, which helps with the future removal of stains from organic matter.

- Non hazardous
- High performance
- Low odour VOC free
- Invisible protection
- Easy to apply
- Breathable
- Quick drying
- UV Resistant

APPLICATION	1 LITRE	5 LITRE
Low porosity surfaces	30m² per bottle	150m² per bottle

STEP 2 AFTERCARE – CLEANING



Intensive Cleaner
For cleaning all types of porcelain and ceramic products, removing ground dirt and grime.

- Non hazardous
- High performance
- Low odour VOC free
- Invisible protection
- Easy to apply
- Breathable
- Quick drying
- UV Resistant

APPLICATION	1 LITRE	5 LITRE
Mild Cases	50m² per bottle	250m² per bottle
Severe Cases	20m² per bottle	100m² per bottle
In Extreme Cases	5-10m² per bottle	25-50m² per bottle



Working in partnership with Mapei, we supply a full range of Mapei fixing products specifically selected for the installation of our natural stone and porcelain materials.

This collaboration ensures that every installation benefits from compatible materials, proven systems, and shared technical expertise, delivering long-lasting performance, durability, and compliance with best practice.

A TRUSTED PARTNERSHIP & 10-YEAR MAPEI WARRANTY

Through our partnership with **Mapei**, you can benefit from a **10-year Mapei warranty** when your project is:

- Assessed by a **Mapei technical representative** in collaboration with Cranborne Stone
- Installed in full accordance with the **approved Mapei specification and system**

Following the approved specification gives you added peace of mind that your installation meets the highest technical standards.

JOINT PROJECT REGISTRATION & TECHNICAL SUPPORT

If you would like to register a project with us, **Cranborne Stone and Mapei work together** to provide joined-up technical support. A **Mapei representative can attend site** to:

- Assess the project requirements
- Specify the correct **fixing materials and installation system**
- Provide a **full written specification** required to obtain the 10-year warranty

This service ensures that every element of the installation is technically correct from the outset.

WHY DESIGNERS & CONTRACTORS CHOOSE CRANBOURNE STONE & MAPEI

Technical Assurance
A coordinated approach between Cranborne Stone and Mapei, including on-site assessment and system specification by a Mapei technical representative.

Reduced Risk
Materials and fixing systems are specified together, reducing incompatibility issues and helping protect the finished installation.

10-Year Warranty Protection
Projects installed to the approved joint specification can qualify for a Mapei-backed 10-year warranty, giving confidence to designers, contractors, and clients alike.

Trusted Industry Partnership
Cranborne Stone's premium materials, supported by Mapei's globally trusted fixing systems, provide a complete and dependable installation solution.

REGISTER YOUR PROJECT

To start your **10-year warranty programme**, simply scan the QR code to register your project.

Once registered, a Mapei representative will be arranged to support your project and provide the required specification.



Register today and install with confidence using Mapei-approved systems

continued...



Our Mapei product recommendations, continued...

GROUT

Ultra Colour Plus
The following colours are stocked, other colours can be ordered in.



- 123 Ancient White
- 103 Moon White
- 118 Biscuit
- 132 Beige
- 114 Anthracite
- 113 Cement Grey
- 112 Medium Grey

ADHESIVE FOR EXTERNAL APPLICATION

Keraquick S1
Can be used with either natural stone or porcelain.



EPOXY GROUT

Kerapoxy Easy Design
We also advise the **Kerapoxy Cleaner** to go with this for residue. Can be ordered in all colours.



ADHESIVE FOR INTERNAL APPLICATION

Keraquick S1 or Keraflex Maxi
Can be used with either natural stone or porcelain and over underfloor heating.



ADHESIVE FOR POOL TANK TILES

Adesilex P10
For mosaics
Keraquick S1 or Keraflex Maxi
For large format tiles



TANKING MEMBRANE FOR INTERNAL POOL TANK

Mapelastix Zero, Mapeband Easy & Mapnet 150 System



SILICONE

Mapesil LM
For natural stone
Mapesil AC
For porcelain
Primer Seal M
For inside joints



DECOUPLING MEMBRANES

Mapeguard UM35 and WP200 (for tanking)



GENERAL SLURRY

Eporip Resin
For internal pools
Plaincrete
For external pools



