

H Æ K L A

Traditional 210

Assembly & User Manual



CONTENTS

	Page
Welcome	3
Introduction.....	4
Part List.....	5
Installation Requirements.....	7
Assembly Instruction.....	9
Recommendation for Operation.....	20
Recommendation for Use.....	21
Safety	22
Important Safe Guards for Your Sauna.....	23
Cleaning and Maintenance	24
Sauna Warranty.....	25

WELCOME

Thank you for purchasing our sauna products. We are striving to become the best sauna supplier in the world; our list of consumers increase daily and we believe your success is our success. We attribute this growth and success entirely to our customer satisfaction, the recognized health benefits and the quality of our workmanship. At our factory, we use only the finest materials coupled with state-of-art construction and the highest safety standard in the industry.

Introduction

We congratulate you on your new path to better health! Thousands of users enjoy the benefits of sauna every day. Now you can enjoy the great benefits of sauna heat within the privacy of your own home.

Please read this manual carefully and thoroughly before using your sauna for the first time. We recommend for you to keep this manual for future reference.


Benefits:

- Superior detoxification: removes heavy metals & fat-stored toxins
- Increased cardiovascular conditioning
- Stimulated immune system
- Improved circulation
- Pain relief
- Weight loss and cellulite reduction
- Beautiful skin
- Stress reduction

You will be surprise at the noticeable effects on pain relief, weight control, skin stimulation, and stress reduction due to an increased blood circulation when using this product.

Packing List

Screws	Size	Required QTY.	Packed QTY.	Remark
Inside wooden door handle	800*35*20mm	1	1	For door handle
Outside metal door handle	800*30*15mm	1	1	
Door handle cover	Ø18.5*40	2	2	
Flat head screws	6*75mm	2	3	
Flat head screws	8*90mm	4	5	For front panel frame
Nut	12*60mm	2	2	
Glass aluminum fixing strip	20*12mm	0.42	0.42	For two glass windows
White plastic expansion screws	5*25mm	10	10	
Foot mat	16*7mm	6	6	
Sharp head screws	3*25mm	6	8	
Steel bracket	80*40*30mm	2	2	For left panel & right panel
Sharp head screws	4*40mm	56	60	Backrest*8, Upper bench*4, Lower bench*4, Left upper bench*4, Left upper bench support*4, Connection piece*8 Top panel*16, Bench support*8, Spare*4
Sharp head screws	3*20mm	46	46	Roof cover*38, Glass aluminum fixing strip*4, Remote control holder*2, Spare*2
Hinge	/	1	1	
Glass clamp	8mm	1	1	
Remote control	/	1	1	
Remote control holder	/	1	1	
Sauna stove wire cover	/	1	1	
Sharp head screws	4*30mm	6	6	For the sand clock & thermohygrograph
Install wood cube	200*40*20mm	2	2	Installation tools
Window glass	/	2	2	
Door Glass	/	1	1	
Bucket	/	1	1	
Ladle	/	1	1	
Sand Clock	/	1	1	
Thermohygrograph	/	1	1	




No.	PART DESCRIPTION	QTYS
1	Left Back Panel	1
2	Right Back Panel	1
3	Front Left Panel	1
4	Rear Left Panel	1
5	Front Right Panel	1
6	Rear Right Panel	1
7	Upper Bench	1
8	Left Upper Bench	2
9	Left Upper Bench Support	2
10	Lower Bench	1
11	Floor	1
12	Backrest	1
13	Left Backrest	1
14	Left Front Frame	1
15	Left Window	1
16	Door Handle	2
17	Door	1
18	Top Front Frame	1
19	Right Front Frame	1
20	Right Window	1
21	Bench Support	1

No.	PART DESCRIPTION	QTYS
22	Left Top Panel	1
23	Middle Top Panel	1
24	Right Top Panel	1
25	Front Roof Cover	1
26	Rear Roof Cover	1

Installation Requirements

1. Do not plug any other appliances into the outlet with your sauna.
2. The cabin must be erected on a level surface. A distance of at least 5cm from the wall must be maintained.
3. Do not spray the exterior with water. If the floor is damp, install a floor separator to keep the sauna high & dry.
4. Do not store flammable objects or chemical substances near the sauna.
5. The sauna must be placed indoors and in a dry area. Moisture will cause damage to the interior and exterior of the sauna.
6. Comply with the regulations applicable at the installation location.
7. We do not recommend using an extension cord for your sauna. Please plug the sauna directly into the wall receptacle.
8. For your own safety, consult your supplier in the event of problems that are not explained in sufficient detail in the installation instructions.
9. A minimum clearance of 500 mm is required above the sauna. This space is necessary for top panel wiring connections and for the installation of the top panel and roof cover.



- * Manufacturer reserves the right to change the specifications.
- * All designs and specifications are for reference only and is subject to change without prior notice.
- * Correct specifications depend on the actual model.

Assembly Instruction

Assembly of the sauna requires at least 2~3 adults to complete. Please read the instructions thoroughly before and during assembly to ensure proper installation of the sauna. A minimum clearance of 500 mm is required above the sauna. This space is necessary for top panel wiring connections and for the installation of the top panel and roof cover.


(1) Location of sauna

When you find a good location for your sauna, please notice the following.

1. The main power cord on the sauna must be easily accessible.
2. The location must be dry and leveled.


(2) Place the right back panel

Simply place the right back panel on a flat level surface.




(3) Install the rear right panel

1. Place the rear right panel up against the back panel.
2. Latch right panel to back panel. (Latches on the outside of the sauna)




(4) Install the left back panel

1. Place the left back panel up against the right back panel.
2. Latch the left back panel up against the right back panel. (Latches on the inside of the panel)



(5) Install the rear left panel

1. Place the rear left panel up against the left back panel.
2. Latch rear left panel to left back panel. (Latches on the outside of the sauna)



(6) Install the front left and right panel

1. Place the front left panel and front right panel up against the each side.
2. Latch the front left panel and front right panel (Latches on the inside of the panel)




(7) Install the bench support

1. The upper bench is designed to support a maximum load of approximately 350 kg. For additional support, or if the expected load may exceed this limit, install the bench support.
2. Fix the bench support in place using 8 pcs 4*40 mm screws.




(8) Install the backrest

1. Fix the backrest with 8 pcs. 4*40 mm screws. Ensure the backrest is installed in the correct orientation, with the LED light strip facing upward.
2. Connect the LED strip connector.



(9)Install the benches

1. Position the upper bench and lower bench on the bench seat supports inside the sauna. Push the bench firmly against the rear panel and secure it to the left and right side panels using 8 pcs. 4*40 mm screws.
2. Connect the LED strip connector as shown. LED strip connectors are located beneath the seat board.



(10)Install the left upper and bench support

Place the left upper bench and left upper bench support against the left side panel. Ensure they are properly aligned, then secure them using 8 pcs. 4*40 mm screws.





(11) Place the floor panel

Simply place the floor panel on a flat level surface.





(12) Install the left & right front frame

1. Use the steel brackets to secure both side panels in position. Place one side of the bracket against the side panel and the other side on the floor.

Pre-drill the floor holes, insert 2 pcs white plastic expansion plugs, and secure the bracket using 3*25 mm screws.


2. Place the left & right front frame panels against to the side panels.

3. Latch the front frame to the side panels using the latches located on the inside of the sauna.



(13)Install the fixing strip for the left window panel


1. Pre-drill the mounting holes in the floor and insert the white plastic expansion nails into the holes. Then place the foot mat in position.
2. Position the aluminum fixing strip over the foot mat and secure it using 3*25 mm screws.




Please distinguish the glass before installation.



Left window Door window Right window






(14) Install the left glass window

Carefully insert the glass into the aluminum fixing strip and the left front frame.



(14)Install the fixing strip for the right window panel

1. Pre-drill the mounting holes in the floor and insert the white plastic expansion nails into the holes. Then place the foot mat in position.
2. Position the aluminum fixing strip over the foot mat and secure it using 3*25 mm screws.



(15)Install the right glass window

Carefully insert the glass into the aluminum fixing strip and the right front frame.




(13)Install the top frame of the front panel

1. Position the top front frame onto the glass panel. The frame includes pre-drilled holes at the top. Insert 12*60 mm nuts, ensuring alignment with the left and right sides.
2. Fix the top front frame in place using 4pcs 8*90 mm screws.



(14)Install the top panel

1. Place the top panel in position.
2. Connect the LED strip cable.
3. Make sure all panels fit tightly together with no gaps. Secure the top panel using 16 pcs 4*40 mm screws. The top panel has pre-drilled holes; simply install the screws in the provided locations.




(15)Install the roof cover

Position the roof cover on top of the sauna. Secure the roof cover using 38pcs. 3 *20 mm screws.




(16) Install the door and glass clamp

1. Attach one half of each hinge to the glass door. Position the glass door in the opening and install the remaining hinge halves. Ensure all supplied rubber gaskets and washers are fitted to protect the glass from damage.
2. The magnetic catch is pre-installed on the door frame. Install the glass clamp on the glass door in the corresponding position.



(17) Install the door handles

1. Attach the door handles through the glass door frame using the provided 2 pcs 6*75 mm door handle screws. The wooden handle should be positioned on the inside of the sauna to prevent it from becoming hot during use.
2. Please ensure that the door handle covers and rubber gaskets are installed together with the handles. These components act as a protective layer between the handles and the glass, helping to prevent scratches and damage to the glass surface.



(18)Enjoy your sauna!

Plug the power cord into the wall outlet and turn on the sauna. Bring a towel and a glass of water, step inside, relax, and enjoy the many benefits of your sauna.

Use the remote control to change the LED light colors and choose from various lighting effects and modes, allowing you to customize the atmosphere to your preference.



Recommendation for Operation

1. To regulate the temperature inside the sauna during your session, use the roof vent or open the door to circulate the fresh air.
2. If you are still feel too hot, simply leave the door open until you feel comfortable.
3. Always drink plenty of water before, during, and after a session. Doing so will replenish lost fluids from the body through perspiration.
4. If you take a hot /warm shower or bath before your sauna session, you may perspire more. Try it with and without bathing or showering first to determine which way you prefer.
5. To utilize the sauna's heat therapy effect, give your hair a hot oil treatment while in the sauna. Put oil or treatment into your hair and wrap it with towel. After the session is over, rinse your hair thoroughly.
6. Use at least 2-3 towels; sit on one towel folded over several times for added cushioning. Put another towel on the floor to absorb excess sweat. A third towel draped over the knees may aid you in comfort and be useful to wipe off the sweat.
7. Be sure to towel off excess sweat during your session to help the body perspire more freely.
8. To help relieve sore and tense muscles, massage the affected areas while in the sauna.
9. Do not put any lotions or oils on the body or face when using the sauna. This may block the pores.
10. Shaving your face or legs with a razor while profusely sweating in a sauna yields an incredibly smooth result without the use of gels or foams.
11. Do not eat anything at least an hour before your sauna session. It is better to go in the sauna on an empty stomach. You are more likely to feel uncomfortable sitting in a sauna with a full stomach.
12. To make the most out of your sauna session, work your muscles while in the sauna. Stretch your arms and legs; massage your neck and feet, etc.
13. You can benefit from the relaxing and soothing effects of a regular sauna session by going to sleep afterwards. The peaceful and relaxed state rendered by a sauna session will help you sleep easier and better.
14. At the first sign of cold or flu, increasing your sauna sessions may be beneficial in boosting your immune treatment and decreasing the reproductive rate of the viruses. **Consult your physician for the proper treatment and care for this or any other conditions.**
15. To treat your ankles and feet more effectively, elevate them while inside the sauna. Any area that you wish to achieve a specific deep heating effect should be moved as close to one of the heaters as feels comfortable.
16. After the session is over, do not immediately jump into the shower. Since your body was heated up during the session, it will continue to sweat even after the heaters are off. Sit in the sauna with the door open and allow your body to cool off. When you feel comfortable enough, take a warm (or cool) shower to rinse the sweat off your body.

Recommendation for Use

- 1.To regulate the temperature inside the sauna during your session, use the roof vent or open the door to circulate the fresh air.
- 2.If you are still too warm, simply leave the door open until the air around you feel comfortable.
- 3.Drink plenty of fluids prior to, during, and after your sauna session.
- 4.If you take a hot /warm shower or bath before your sauna session, you may perspire more. Try it with and without bathing or showering first to determine which way you prefer.
- 5.To utilize the sauna's heat therapy effect, give your hair a hot oil treatment while in the sauna. Put oil or treatment into your hair and wrap it with towel. After the session is over, rinse your hair thoroughly.
- 6.Use at least 2-3 towels; sit on one towel folded over several times for added cushioning. Put another towel on the floor to absorb excess sweat. A third towel draped over the knees may aid you in comfort and be useful to wipe off the sweat.
- 7.Be sure to towel off excess sweat during your session to help the body perspire more freely.
- 8.To help relieve sore and tense muscles, massage the affected areas while in the sauna.
- 9.Do not put any lotions or oils on the body or face when using the sauna. This may block the pores.
- 10.Shaving your face or legs with a razor while profusely sweating in a sauna yields an incredibly smooth result without the use of gels or foams.
- 11.Do not eat anything at least an hour before your sauna session. It is better to go in the sauna on an empty stomach. You are more likely to feel uncomfortable sitting in a sauna with a full stomach.
- 12.To make the most out of your sauna session, work your muscles while in the sauna. Stretch your arms and legs; massage your neck and feet, etc.
- 13.You can benefit from the relaxing and soothing effects of a regular sauna session by going to sleep afterwards. The peaceful and relaxed state rendered by a sauna session will help you sleep easier and better.
- 14.At the first sign of cold or flu, increasing your sauna sessions may be beneficial in boosting your immune treatment and decreasing the reproductive rate of the viruses. Consult your physician for the proper treatment and care for this or any other conditions.
- 15.To treat your ankles and feet more effectively, elevate them while inside the sauna. Any area that you wish to achieve a specific deep heating effect should be moved as close to one of the heaters as feels comfortable.
- 16.After the session is over, do not immediately jump into the shower. Since your body was heated up during the session, it will continue to sweat even after the heaters are off. Sit in the sauna with the door open and allow your body to cool off. When you feel comfortable enough, take a warm (or cool) shower to rinse the sweat off your body.

Safety

Read all health and safety instructions. If in doubt as to the advisability of using your sauna, consult with your physician prior to use. If you feel light-headed or heat exhaustion during session, leave the sauna immediately.

1. Read and follow all instructions carefully.
2. When installing and using this electrical equipment, basic safety precautions should always be followed.
3. To reduce the risk of injury, do not allow children to use the sauna unless they are closely supervised.
4. Do not use the sauna immediately following strenuous exercise. Wait at least 30 minutes to allow the body to cool down completely.
5. Excessive temperature has a high potential for causing fetal damage during pregnancy. Pregnant or possibly pregnant women should contact their physician prior to using the sauna.
6. Hyperthermia Danger: Prolonged exposure to hot air will induce Hyperthermia. Hyperthermia occurs when the internal temperature of the body reaches a level several degrees above the normal body temperature of 37°C (98.6 °F). While Hyperthermia has many health benefits, it is important not to allow your body's core temperature to rise above 103°F. Symptoms of excessive Hyperthermia include dizziness, lethargy, drowsiness, and fainting. The effects of excessive Hyperthermia may include failure to perceive heat, failure to recognize the need to leave, unawareness of impending hazard, fetal damage in pregnant women, physical inability to leave the sauna, and unconsciousness.
7. The use of alcohol, drugs, or medications prior to or during the sauna session may lead to unconsciousness.
8. Persons suffering from obesity or with a medical history of heart disease, low or high blood pressure, circulatory system problems, or diabetes should consult a physician prior to using the sauna.
9. Persons using medications should consult a physician before using the sauna since some medications may induce drowsiness while others may affect heart rate, blood pressure, and circulation.
10. Never sleep inside the sauna while the unit is in full operation.
11. DO NOT use any type of cleaning agents on the interior of the sauna.
12. DO NOT stack or store any object on top of or inside the sauna.
13. If power supply cord becomes damaged it must immediately be replaced by the manufacturer, or its agent, or a similarly qualified person to avoid a hazard.
14. DO NOT use the unit during an electrical storm, as there is a remote risk of shock.
15. Altering or tampering with any electrical connections on the power supply will void the manufacturer's warranty.
16. Dry your hands before handling electrical controls. Never unplug the power cord or adjust the controls with wet hands or when you have wet bare feet. A danger of electrical shock exists.
17. DO NOT attempt any repair without consulting the manufacturer first. Unauthorized repair attempts will void manufacturer's warranty.
18. All natural wood has variations in the color, grain, and irregularities such as knots, and fine cracks. These characteristics are a part of the natural beauty of the wood, and in no way should be considered defective.

* These statements have not been evaluated by the Food and Drug Administration. These statements are for informational purposes only and should not be used as the basis for medical counseling. This information is not intended to diagnose, treat, cure, or prevent any disease. The author and publisher shall have neither liability nor responsibility to any person or entity with respect to any loss, damage or injury caused directly or indirectly by the information contained herein.

Important Safeguards For Your Sauna

1. **READ INSTRUCTIONS** -- All the safety and operating instructions should be read before the sauna is installed and operated.
2. **RETAIN INSTRUCTIONS** -- The safety and operating instructions should be retained for future reference.
3. **FOLLOW INSTRUCTIONS** -- All operating and usage instructions should be followed at all times.
4. **CLEANING** -- Unplug the sauna from the wall outlet before cleaning **DO NOT** use liquid cleaners or aerosol cleansers inside the sauna. Use a damp cloth for cleaning.
5. **ATTACHMENTS**-- Do not use any attachments that are not recommended by the manufacturer.
6. **WATER OR MOISTURE**—**DO NOT** use your sauna near water, e.g. near a bathtub, in a wet basement, or near a swimming pool and the like.
7. **POWER-CORD PROTECTION**-- Power supply cord should be routed so it is not likely to be walked on or pinched by items placed upon or against it.
8. **LIGHTING**-- For added protection for your sauna during a lightning storm, or when it is left unattended and unused for long time, unplug it from the wall outlet.
9. **OVERLOADING**-- Do not overload the wall outlet and extension cord as this can result in a risk of fire or electric shock.
10. **SERVICING**-- Always unplug your sauna from the wall outlet before servicing.
11. **REPLACEMENT PARTS**--When replacement parts are required, be sure it is specified by the manufacturer or have the same characteristics as the original parts. Unauthorized substitutes may result in fire, electric shock or other hazards.
12. **SAFETY CHECK**--Upon completion of any service or repairs to your sauna, ask the service technician to perform safety checks and determine that your sauna is in proper operating condition.

Cleaning and Maintenance

1. Your sauna is made of the Natural wood. All wood products have variations in the color, grain, and may have irregularities such as knots, fine cracks and wood natural oil stain. These reflect the natural beauty of the wood and should not be considered defects.
2. Before using your sauna for the first time, clean the inside of the sauna with a damp cloth.
3. The interior of the Sauna is made of the natural wood. It is aromatic and adds to the enjoyment of your sauna session. If the fragrance of the fresh wood is too strong during the first few months of use, first wipe the wood with a damp cloth to minimize the aroma.
4. We recommend placing a soft towel on the floor and on the bench of the sauna to absorb perspiration during sauna use.
5. Scratches and stains on the sauna can be removed by simply using fine grade sandpaper over the damaged area.
6. The cabin may not be cleaned with steam cleaners, high-pressure cleaners or splashed water.
7. The wood may appear rough and hoarse caused by dampness sometimes. To smooth the affected areas, the sandpaper or gritty sponge can be used, always sanding in the direction of the grain.
8. The wood is a solid nature wood, minor cracks, wood natural oil stain or warping might happen due to seasonal humidity changes. This is a natural process and not a defect of the material.
9. Only repair professionals can operate maintenance process.
10. Ensure unplug the sauna cabin before maintenance.

SAUNA WARRANTY

1. Two-year limited warranty on electrical components, and one-year limited warranty on wooden components.
2. This unit is meant for indoor use only. warranty is voided if this sauna is placed in an outdoor environment. Sauna replacement parts come with a limited warranty. We warrant its products to be free of defects in material and workmanship. Parts, that become defective within the warranty period, will be repaired except for damage due to negligence, abuse, misuse, misapplication, unauthorized modifications, improper installation, or normal wear and tear.
3. Labor costs associated with the disassembly and reassembly of the unit are not covered under this policy. We will not be responsible for labor costs of the routine maintenance, adjustments or alterations to the calibration of the electrical devices.
4. All parts claimed to be defective must be shipped to us with freight prepaid. The repaired or replaced product will be returned to the sender on a freight-collect basis. When returning the product to us, it must be accompanied by the sales receipt or other proof of purchase date, along with the sender's name, mailing address, daytime telephone number, and any additional information pertinent to the claim.
5. This warranty is granted solely to the original purchaser and shall be void upon transfer of ownership. This warranty shall not apply to any product or component used for industrial, rental, club, or commercial purpose. This warranty shall not apply to any claims arising from the misuse, neglect, accident, abuse, or improper installation, including, but not limited to, exposure to fire, excessive heat, and or other hazards of nature. Under no circumstances will shall the manufacturer be liable for any special or consequential damages arising from the use of the product, components, or any parts attached, or installed with it thereto. Nor shall the company be liable for injury to any person, or for any claims for damages arising form the use, installation, or servicing of the product. The purchaser is responsible for providing ensuring that adequate access to the equipment so that is provided to facilitate the performance of any necessary service. The purchaser must establish provide proof of the purchase date through a dated sales slip, invoice or deliver receipt, the date of purchase. All costs for removing and reinstalling associated with the removal and re-installation of the sauna, including the freight charges to and from customer, shall be at the customer's expense.
6. Regardless of the warranty card being returned within the specified time period, there shall be no warranties or obligations: express or implied hereunder, specifically excluding any implied warranty of merchantability or fitness for a particular purpose, other than specifically described herein. no liability shall accrue to our except as set forth herein.

* The warranty for our saunas is strictly limited to one year and applies exclusively to residential use. Any commercial application, outdoor installation, improper usage, or continuous operation exceeding 3,000 hours will render the warranty void and may result in safety risks or compromised performance.

HΞKLA

Superior House,
Broombank Park,
Chesterfield, UK
S41 9RT
heklasaunas.com